PROCESSED AT :
Thyrocare

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

MC-2407

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXX
TEST ASKED : ANTI CHLAMYDIA - IgG

SAMPLE COLLECTED AT :

TEST NAME	TECHNOLOGY	VALUE	UNITS
ANTI CHLAMYDIA ANTIBODY IGG	E.L.I.S.A	0.18	OD Ratio

Bio. Ref. Interval. :-

Negative: < 0.9
equivocal: 0.9 - 1.1
positive: > 1.1

clinical Significance:

chlamydia Trachomatis Is The Most Prevalent Agent Of Sexually Transmitted Diseases Worldwide. A Severe Problem In Chlamydia Infections Is The Frequent Asymptomatic Insidious Course, Which May Result In The Initiation Of Chronic Diseases And Serious Complications Including Severe Pelvic Inflammatory Diseases (pid). In Many Instances Primary Infections Are Not Recognized And Only The Squeal Caused By Ascended, Persisting Agents Are Diagnosed

interpretation:

it Is Important To Note That The Presence Of Elevated Levels Of Chlamydia Antibody Does Not Necessarily Mean That A Woman Has An Active Chlamydia Infection. It Simply Indicates That She Was Exposed To The Bacteria. In Fact, It Is Estimated That, If Left Untreated, About 45% Of Infected Women Without Symptoms Will Clear The Bacteria From Their Bodies. In Women Who Clear An Infection Rapidly, The Risk Of Tubal Damage May Be Low. On The Other Hand, Persistent Exposure May Result In Chronic Inflammation And May Increase The Risk Of Tubal Damage.

references:

1. Black Cm. Current Methods Of Laboratory Diagnosis Of Chlamydia Trachomats Infections Clin Microbial Rev 1997; 10(1): 160-184.
2. Stamm We. Chlamydia Trachomatis: Progress And Problems: J Infect Dis 1999; Suppl 2: 179.

Please correlate with clinical conditions.
Method:- Solid Phase Enzyme Immunoassay

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

CONDITIONS OF REPORTING


- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc
- For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- SMS:<Labcode No.> to **9870666333**





As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)

Dummy Report