**PROCESSED AT :**

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

**NAME** : XXXXXXXXXXXXXXXX
**REF. BY** : XXXXXXXXXXXXXXXX
**TEST ASKED** : CYSTATIN C

**SAMPLE COLLECTED AT :**
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

**PATIENTID** : XXXXXXXXXXXXXXXX

| TEST NAME | TECHNOLOGY | VALUE | UNITS |
|---|---|---|---|
| CYSTATIN C | IMMUNOTURBIDIMETRY | 0.84 | mg/L |

**Bio. Ref. Interval. :-**

<= 60 years: <= 1.03 mg/L
> 60 years : < 1.50 mg/L

Clinical significance

Cystatin c, is a small 13-kda protein and is a member of the cysteine proteinase inhibitor family, it is produced at a constant rate by all nucleated cells. Due to its small size it is freely filtered by the glomerulus and is not secreted but is fully reabsorbed and broken down by the renal tubules. This means that the primary determinate of blood Cystatin c levels is the rate at which it is filtered at the glomerulus making it an excellent gfr marker. Cystatin c is also a marker of inflammation and like many other markers of inflammation; its serum concentration may be higher in patients with decreased renal clearance. There is mounting evidence, however, that Cystatin c may be a predictor of adverse outcomes independent of renal function with its higher sensitivity to detect a reduced GFR than Creatinine determination, also in the so-called "Creatinine-blind" range. Thus, Cystatin c is suggested to be a better marker for GFR than the ubiquitous serum Creatinine.

Reference

1. Barrett aj, Davies me, Grubb a. the place of human gamma-trace (Cystatin c) among the cysteine proteinase inhibitors. Biochem biophys res common 1984; 120: 631-6.

2. Grubb a. diagnostic value of analysis of Cystatin c and protein HC in biological fluids. Clin Nephrol 1992; 38: S20-7.

**Please correlate with clinical conditions.**
**Method:-** LATEX ENHANCED IMMUNOTURBIDIMETRY

**~~ End of report ~~**

Dummy Report

**Sample Collected on (SCT)** : Sample collection time
**Sample Received on (SRT)** : Sample receiving time at Lab
**Report Released on (RRT)** : Report release time
**Sample Type** : SERUM
**Labcode** :
**Barcode** :

Doctor 1 Sign Doctor 2 Sign