PROCESSED AT :

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : DGNS1

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE
DENGUE NS1 ANTIGEN RAPID TEST	IMMUNOASSAY	NEGATIVE

Positive : Presence of Dengue Ns1 Antigen
Negative : Absence of Dengue Ns1 Antigen

Clinical Significance :
1. This is a screening and Qualitative test and a positive report does not confirm diagnosis. All positive cases should be verified by confirmatorymethods like ELISA.
2. A false negative test can be seen in early course of the disease
3. The tests should be interpreted in conjunction with patient's clinical history and other findings
4. All positive tests should be reconfirmed after 7-10 days of fever onset with Dengue IgG and IgM test
5. Dengue NS1 antigen can be detected in first five days of fever.

References :
Dengue Guidelines for Diagnosis and treatment, prevention and control. WHO . New edition 2009"

Note: This is a screening test and a positive report does not confirm diagnosis. All positive cases should be verified by confirmatory methods.

Please correlate with clinical conditions.
Method:- RAPID IMMUNOCHROMATOGRAPHIC ASSAY

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

Scan QR code to verify authenticity of reported results; active for 30 days from release time.