PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : MUMPS ANTIBODY - IGM

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
MUMPS ANTIBODY - IGM	C.L.I.A	> 4	Index

Bio. Ref. Interval. :-

Negative : < 0.9
Equivocal: 0.9 - 1.10
Positive : > 1.10

Clinical Significance:
Mumps (Parotitis) is a common contagious disease with relatively moderate symptoms during childhood. Typical symptoms is swelling of glands. A Mumps induced meningitis is one of the most frequent manifestations of the disease.

Specifications:
Intra- assay : 6.0 % ,Inter assay : 9.7 %
Specificity : 99.5 %, Sensitivity : 95.2%

Kit Validation References:
C.E. CAPLAN Mumps in the era of vaccines. C.M.A.J., 160 (6) : 865-866 (1999)

Please correlate with clinical conditions.
Method:- SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign