PROCESSED AT :
Thyrocare

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

MC-2407

Thyrocare
Tests you can trust

Corporate office : **Thyrocare Technologies Limited,** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : T4

SAMPLE COLLECTED AT :

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
TOTAL THYROXINE (T4)	C.L.I.A	10.3	µg/dL	4.5-12

Comments : ***

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T4 - Competitive Chemi Luminescent Immuno Assay

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign