PROCESSED AT :
Thyrocare

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXX
TEST ASKED : 17 OH PROGESTERONE

SAMPLE COLLECTED AT :

TEST NAME	TECHNOLOGY	VALUE	UNITS
17 OH PROGESTERONE	E.L.I.S.A	0.22	ng/mL

Bio. Ref. Interval. :-

Children : 0.13 - 1.13
Men : 0.20 - 1.38

Women
Follicular Phase : 0.13 - 0.89
Luteinic Phase : 0.16 - 2.05
Post Menopause : 0.13 - 1.38

Clinical Significance:
17 Hydroxyprogesterone (17 OH Progesterone) is a C-21 steroid hormone produced in adrenal gland and gonads, during synthesis of glucocorticoids and sex steroids. Measurements of levels of 17-OH progesterone are useful in evaluation of patients with suspected congenital adrenal hyperplasia.

Specifications:
Intra Assay Precision: 10.5 % (%CV), Inter Assay Precision: 17.4 % (%CV)

Kit validation Reference:
Wisdem G.B. Clin Chem 2218 1243-1255 (1976)

Please correlate with clinical conditions.
Method:- COMPETITIVE ENZYME IMMUNOASSAY

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign