Processed At :

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: XXXXXXXXXXXXXXXX	Sample Collected on (SCT)	: XXXXXXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXXXX	Sample Received on (SRT)	: XXXXXXXXXXXXXXXX
Sample Collected At	: XXXXXXXXXXXXXXXX	Report Released on (RRT)	: XXXXXXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
24 HOURS URINARY MICROALBUMIN	PHOTOMETRY	< 5.5	mg/24hr

Bio. Ref. Interval. :-

Less than 30 mg/24hr

Please correlate with clinical conditions.

Method:- Fully Automated Immuno Turbidometry

~~ End of report ~~

Dummy Report

Tests Done : **24UALB**

Doctor 1 Sign

Doctor 2 Sign

Scan QR to verify(valid for 30 days from release time)