PROCESSED AT :

Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : TROPO

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE
TROPONIN I RAPID TEST	IMMUNOASSAY	NEGATIVE

Bio. Ref. Interval. :-

Note:
This is a screening test and a positive report does not confirm diagnosis. All positive cases should be verified by confirmatory methods.

Please correlate with clinical conditions.

Method:- TWO SITE SANDWICH IMMUNOASSAY

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : EDTA
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign