Thyrocare

Tests you can trust

Name : xxxxxxxxxxxxxxxxx xxxxxxxxxxxxxxxxx

Date : xx xx xxxx

Test Asked : Influenza Panel (Influenza A And B And H1N1)

Dummy Report



9 out of 10 Doctors trust that Thyrocare **reports are accurate & reliable***

98% Reports released within **06 Hours** of sample reaching the lab+

Samples Processed in **NABL Accredited** Labs#

700+ Tests & Profiles

Temperature-Controlled Sample Logistics

Unique Barcode Tracking & Reports with QR Code Verification

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Accredited by

NABL From 2005#

ISO 9001: 2015 - From 2015

CAP From 2007

PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : INFLUENZA PANEL (INFLUENZA A AND B AND H1N1)
PATIENTID : XXXXXXXXXXXXXXXX

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	RESULT
H1N1 INFLUENZA A (PDM09)	NOT DETECTED
INFLUENZA A	NOT DETECTED
INFLUENZA B	NOT DETECTED

Interpretation

NOT DETECTED	INFLUENZA A / B / H1N1 (pdm09) was not detected in the patient specimen or less than detection limit
DETECTED	INFLUENZA A / B / H1N1 (pdm09) was detected in the patient specimen
INCONCLUSIVE	Target is inconclusive, Advised to send fresh specimen for recheck

The performance of this test has been validated at Department of Molecular Biology Laboratory, Thyrocare Technologies Limited, Navi Mumbai.

Indications
Influenza, commonly referred to as the flu, is an infectious disease caused by RNA viruses of the family Orthomyxoviridae. Human influenza A and influenza B viruses cause severe infections predominantly of the respiratory tract with fever and coughs as the most frequent symptoms.
In more serious cases, influenza causes pneumonia, which can be fatal particularly for children and elderly people.

Methodology
INFLUENZA A / B / H1N1 (pdm09) detection by Qualitative polymerase chain reaction (PCR) is based on the amplification of specific regions of influenza virus. In real Time PCR the amplified product is detected via fluorescent dyes.

Clinical Significance
Detection of influenza virus RNA in patients with INFLUENZA A / B / H1N1 (pdm09) infection.

Limitation of the assay
1.Presence of PCR inhibitors may interfere with PCR amplification.
2.Undetected result does not rule out the possibility of infection.Presence of inhibitors,mutations & insufficient organism RNA can influence the result.

Disclaimer
1.This test is intended for use in conjunction with clinical presentation and other laboratory markers.
2.Improper specimen collection, handling, storage and transportation may results in false negative results.
3.The report represents only the specimen received in laboratory.

Abbreviation
1.RES - RESPIRATORY SWABS

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SWABS (RES)
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

CUSTOMER DETAILS

As declared in our data base

Name: XXXXXXXXXXXXXXXXX **Age:** XXX **Sex:** XXX XXX

Barcodes/Sample_Type	:	XXXXXXXXXXXXXXXXX
Labcode	:	XXXXXXXXXXXXXXXXX
Ref By	:	XXXXXXXXXXXXXXXXX
Sample_Type/Tests	:	
Sample Collected At	:	Sample receiving time at Lab
Sample Collected on (SCT)	:	Sample collection time
Report Released on (RRT)	:	Report release time
Amount Collected	:	

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

Dummy Report

CONDITIONS OF REPORTING


- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc
- For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 61 30 00**
- SMS:<Labcode No.> to **9 666333**





*+T&C Apply, # Upto 95% Samples in NABL Accredited Labs, * As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)*