PROCESSED AT :

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : SCRUB TYPHUS RAPID TEST (IGG/IGM)

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	RESULT	UNITS
SCRUB TYPHUS - IGG RAPID TEST	IMMUNOASSAY	NEGATIVE	
Method : LATERAL FLOW IMMUNOASSAY			
SCRUB TYPHUS - IGM RAPID TEST	IMMUNOASSAY	NEGATIVE	
Method : LATERAL FLOW IMMUNOASSAY			

Please correlate with clinical conditions.

Note : This is a screening test and a positive report does not confirm diagnosis. All positive cases should be verified by confirmatory methods

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign