PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : LIVER FUNCTION TESTS

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ALKALINE PHOSPHATASE	PHOTOMETRY	55.3	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.67	mg/dL	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.13	mg/dL	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.54	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	25.06	U/L	< 55
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	15.76	U/L	< 35
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	29.42	U/L	< 45
SGOT / SGPT RATIO	CALCULATED	0.54	Ratio	< 2
PROTEIN - TOTAL	PHOTOMETRY	6.23	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	3.51	gm/dL	3.2-4.8
SERUM GLOBULIN	CALCULATED	2.72	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.29	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method
BILT - Vanadate Oxidation
BILD - Vanadate Oxidation
BILI - Derived from serum Total and Direct Bilirubin values
GGT - Modified IFCC method
SGOT - IFCC* Without Pyridoxal Phosphate Activation
SGPT - IFCC* Without Pyridoxal Phosphate Activation
OT/PT - Derived from SGOT and SGPT values.
PROT - Biuret Method
SALB - Albumin Bcg[1]method (Colorimetric Assay Endpoint)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - Derived from serum Albumin and Protein values

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign