Patient Name	: XXXXXXXXXXXX	Sample Collected on (SCT)	: XXXXXXXXXXXX
Referred By	: XXXXXXXXXXXX	Sample Received on (SRT)	: XXXXXXXXXXXX
Address	: XXXXXXXXXXXX	Report Released on (RRT)	: XXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
TROPONIN I HEART ATTACK RISK	C.M.I.A	7.58	pg/mL

Bio. Ref. Interval. :-

Cutoff values (Precision at 99th percentile) : Male : <= 26.2 || Female : <= 15.6

Clinical Significance:

The Cardiac Troponin I is cardiac specific and highly sensitive marker for myocardial damage. In acute myocardial damage the Troponin I values are raised 4-6 hrs after cardiac symptom onset and may remain elevated for a period of 7-12 days of cardiac injury. It is an independent risk marker that can predict near, mid and long term outcome in patients with Acute coronary syndrome. A single Troponin I result may not be sufficient to evaluate MI. Serial Blood draws are recommended to evaluate Acute coronary syndrome (ACS) patients.Increased levels of Cardiac troponin I can be seen in Myocarditis,heart contusion, cardiomyopathy,congestive heart failure,interventional therapy like cardiac surgery and drug induced cardiomyopathy. Any condition resulting in myocardial injury can potentially increase Troponin I levels.

Hence The results should always be used in conjunction with ECG changes, Clinical symptoms, other findings etc. to Diagnose MI. The various interfering factors / limitations of the Troponin I assay are - presence of heterophile antibodies, Patients on Human anti mouse monoclonal antibody (HAMA) therapy, Rheumatoid factor (RF), high total protein levels etc. The Coronary vascular disease risk stratification in Asymptomatic patients is as given in the below table, which can be suggested for preventive clinical management in conjunction with other clinical findings, investigations and clinical symptoms.

The following cut-off points may be used to aid in stratifying the risk of cardiovascular disease in asymptomatic individuals.

HIGH SENSITIVE TROPONIN-I LEVEL (pg/mL)		
MALE	**FEMALE**	**INTERPRETATION**
<6	<4	Low risk of future heart attack
≥6 to ≤12	≥4 to ≤10	Moderate risk of future heart attack
>12	>10	Elevated risk of future heart attack

Specifications: Precision at the 99th Percentiles

Females = 15.6 pg/mL -5.3% CV || Males = 34.2pg/mL - 3.5% CV

Kit validation reference :

1. Risk-Stratification of the Apparently Healthy Population for Future Cardiac Events With ARCHITECT High Sensitive Troponin-I(https://dam.abbott.com/de-de/documents/pdf/ADD- 00064393-hsTnI-Risk-Stratification-Sell-Sheet.pdf)

2. ARCHITECT STAT High Sensitive Troponin-I [package insert]. Lake Bluff, IL: Abbott Laboratories; 2018. G97079R01.

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED CHEMI LUMINESCENT MICROPARTICLE IMMUNOASSAY

~~ End of report ~~

Tests Done : ACTNI

Report Remarks : Labcode:1504137201/MAD11

Doctor 1 Sign

Dummy Report