Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: XXXXXXXXXXXXXX	**Sample Collected on (SCT)**	: XXXXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXX	**Sample Received on (SRT)**	: XXXXXXXXXXXXXX
Address	: XXXXXXXXXXXXXX	**Report Released on (RRT)**	: XXXXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE
HELICOBACTER PYLORI ANTIGEN RAPID-STOOL	RAPID VISUAL IMMUNO-ASSAY	NEGATIVE

Interpretation :
1. Negative - Absence of H Pylori Antigen.
2. Positive - Presence of H Pylori Antigen

Clinical Significance :
1. Helicobacter pylori, also known as Campylobacter pylori is a Gram negative bacteria. It causes gastro-enteric diseases like non-ulcerous dyspepsia, gastric and duodenal ulcer and active gastritis.
2. It increases risk of stomach adenocarcinoma and is classified as carcinogen agent type I.
3. This is purely a qualitative test.
4. Positive results require confirmation by serological tests, H.Pylori PCR testing, Urea Breath test or histological examination of biopsy obtained during endoscopy.
5. Negative result does not completely exclude H.Pylori infection.
6. False negative results can be due to lower antigen concentration, ingestion of antimicrobials, proton pump inhibitors and certain bismuth preparations. These are known to suppress H.Pylori. A negative test result in such a situation should be followed up with a repeat test at least 2 weeks after discontinuing therapy.

Note : The results should be interpreted in Conjunction with Clinical History and other findings. This is just a screening test and Positive results have to be confirmed with a confirmatory test.

Please correlate with clinical conditions.
Method:- RAPID IMMUNOCHROMATOGRAPHY ASSAY

~~ End of report ~~

Dummy Report

Tests Done : HPAGR

Report Remarks : PatientId:SS29459795 Labcode:0104004025/A2381

Doctor 1 Sign **Doctor 2 Sign**