Thyrocare

Tests you can trust

Name : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Date : XXXXXXXXX

Test Asked : Ca724

Report Status : Complete Report

Dummy Report



First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

98% Reports released within 06 Hours of sample reaching the lab+

9 out of 10 Doctors Trust that Thyrocare reports are Accurate & Reliable*

1200+ Tests & Profiles

Temperature-Controlled Sample Logistics

Unique Barcode Tracking

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity of reported values

QR code will remain active for 30 days from report release date

Accredited by

NABL From 2005#

ISO 9001: 2015 - From 2015

CAP From 2007~

Processed At :

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Sample Collected At : XXXXXXXXXXXXXX

Tests Done : CA724

Report Availability Summary

Note: Please refer to the table below for status of your tests.

1 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
CA 72.4-GASTRIC CANCER MARKER	Ready

Dummy Report

Processed At :

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: XXXXXXXXXXXXXX	Sample Collected on (SCT)	: XXXXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXX	Sample Received on (SRT)	: XXXXXXXXXXXXXX
Sample Collected At	: XXXXXXXXXXXXXX	Report Released on (RRT)	: XXXXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
CA 72.4-GASTRIC CANCER MARKER	E.C.L.I.A	1.89	U/mL

Bio. Ref. Interval. :-

Normal range: <6.9 U/mL

CLINICAL SIGNIFICANCE:
1.CA 72-4 also known as TAG 72 (Tumor Associated Glycoprotein 72) is a high molecular weight mucin protein found on the surface of many cancer cells including stomach,ovary,breast,colon and pancreatic cells.
2.The assay serves as an aid in the therapeutic monitoring and disease course of patients with gastric and ovarian cancer.
3.The most important advantage of CA 72?4 is its ability to discriminate between malignant and non-malignant gastric and ovarian diseases.
4.After surgical intervention, CA 72?4 levels return to normal and remain within the normal range in cases where tumor tissue is no longer present.
5.For mucinous ovarian cancer, the diagnostic sensitivity of CA 72?4 is greater than that of CA 125.
6.Diagnostic sensitivity of 33 % in Gastric Cancer and 47?76 % in Ovarian Carcinoma has been reported for CA 74-2.
7.Increased level may indicate - Gastric carcinoma, Ovarian carcinoma, Occasionally elevated in Colon,Pancreas malignancies or Breast Cancer
8.It may also be elevated in - Non malignant conditions-Liver Cirrhosis,Pancreatitis,Pneumonia and Ovarian cyst

LIMITATIONS:
1.In rare cases, interference due to extremely high titers of antibodies to analyte?specific antibodies, streptavidin or ruthenium can occur.
2.Significantly elevated concentrations of Bilirubin,Hemoglobin,Biotin, Intra lipid or Rheumatoid factors may interfere with assay result.
3.For diagnostic purposes, the results should always be assessed in conjunction with the patient's medical history, clinical examination and other findings.
4.The results of CA 74-2 obtained on different assay procedures may not be directly comparable and will vary. So clinical correlation is suggested in such cases, especially where the titre of this parameter is being monitored.

Please correlate with clinical conditions.

Method:- ELECTROCHEMILUMINESCENCE IMMUNOASSAY (ECLIA) - Sandwich Principle

~~ End of report ~~

Dummy Report

Tests Done : CA724

Report Remarks : Labcode:1012101936/IT001

Doctor 1 Sign **Doctor 2 Sign**

CUSTOMER DETAILS

As declared in our data base

Name: XXXXXXXXXXX **Age:** XX **Sex:** XX

Barcodes/Sample_Type	:	XXXXXXXXXXXXX
Labcode	:	XXXXXXXXXXXXX
Ref By	:	XXXXXXXXXXXXX
Sample_Type/Tests	:	SERUM:CA724
Sample Collected At	:	XXXXXXXXXXXXX
Sample Collected on (SCT)	:	XXXXXXXXXXXXX
Report Released on (RRT)	:	XXXXXXXXXXXXX
Amount Collected	:	**XXXXXXXXXXXXX**

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

Dummy Report

CONDITIONS OF REPORTING


- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at **customersupport@thyrocare.com** or call us on **022-3090 0000**





+ T&C Apply, #As on 5th December 2024 (Applicable for all company owned labs except Bhagalpur & Vijayawada),

⋆ As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited

Dummy Report