Thyrocare

Tests you can trust

Name : XXXXXXXXXXXXXXXXXXXXXXXXX

Date : XXXXXXXX

Test Asked : Allergy Comprehensive Profile (by Phadia)

Report Status : Complete Report

Dummy Report



First National Diagnostic Chain to have **100% of its Labs with NABL Accreditation#**

98% Reports released within **06 Hours** of sample reaching the lab+

9 out of 10 Doctors Trust that Thyrocare reports are **Accurate & Reliable***

1200+ **Tests & Profiles**

Temperature-Controlled Sample Logistics

Unique Barcode Tracking

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity of reported values

QR code will remain active for 30 days from report release date

Accredited by

NABL From 2005#

ISO 9001: 2015 - From 2015

CAP From 2007~

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name : XXXXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXXXX
Sample Collected At : XXXXXXXXXXXXXXXX

Tests Done : **ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)**

Report Availability Summary

Note: Please refer to the table below for status of your tests.

1 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)	Ready

Dummy Report

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: XXXXXXXXXXXXXXXX	Sample Collected on (SCT)	: XXXXXXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXXXX	Sample Received on (SRT)	: XXXXXXXXXXXXXXXX
Sample Collected At	: XXXXXXXXXXXXXXXX	Report Released on (RRT)	: XXXXXXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALLERGY EGG WHITE (BY PHADIA)	FEIA	0.26	kUA/L	< 0.35
ALLERGY MILK (BY PHADIA)	FEIA	0.11	kUA/L	< 0.35
ALLERGY FISH COD (BY PHADIA)	FEIA	0.09	kUA/L	< 0.35
ALLERGY WHEAT (BY PHADIA)	FEIA	0.17	kUA/L	< 0.35
ALLERGY SOYBEAN (BY PHADIA)	FEIA	0.23	kUA/L	< 0.35
ALLERGY GLUTEN (BY PHADIA)	FEIA	0.15	kUA/L	< 0.35
ALLERGY CHICKEN (BY PHADIA)	FEIA	0.21	kUA/L	< 0.35
ALLERGY SHRIMP (BY PHADIA)	FEIA	0.19	kUA/L	< 0.35
ALLERGY LENTIL (BY PHADIA)	FEIA	0.24	kUA/L	< 0.35

Please correlate with clinical conditions.

Method :

APEGW - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APMIL - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APFIS - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APWHE - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APSOY - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APGLU - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APCH2 - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APSHR - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APLEN - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD

Dummy Report

Tests Done : ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)

Report Remarks : PatientId:AP28618010 Labcode:0801001087/IT001

Doctor 1 Sign **Doctor 2 Sign**

Patient Name	: XXXXXXXXXXXXXXXX	Sample Collected on (SCT)	: XXXXXXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXXXX	Sample Received on (SRT)	: XXXXXXXXXXXXXXXX
Sample Collected At	: XXXXXXXXXXXXXXXX	Report Released on (RRT)	: XXXXXXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALLERGY BERMUDA GRASS (BY PHADIA)	FEIA	0.12	kUA/L	< 0.35
ALLERGY RYE GRASS (BY PHADIA)	FEIA	0.11	kUA/L	< 0.35
ALLERGY TIMOTHY GRASS (BY PHADIA)	FEIA	0.21	kUA/L	< 0.35
ALLERGY MEADOW GRASS (BY PHADIA)	FEIA	0.16	kUA/L	< 0.35
ALLERGY JOHNSON GRASS (BY PHADIA)	FEIA	0.2	kUA/L	< 0.35
ALLERGY BAHIA GRASS (BY PHADIA)	FEIA	0.09	kUA/L	< 0.35

Please correlate with clinical conditions.

Method :

APBER - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APRYE - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APTIM - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APMEA - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APJOH - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APBAH - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD

Dummy Report

Tests Done : ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)

Report Remarks : PatientId:AP28618010 Labcode:0801001087/IT001

Doctor 1 Sign **Doctor 2 Sign**

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name : XXXXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXXXX
Sample Collected At : XXXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALLERGY HOUSE DUST (BY PHADIA)	FEIA	0.16	kUA/L	< 0.35
ALLERGY HOUSE DUST MITE - DERMATOPHAGOIDES PTERONYSSINUS (BY PHADIA)	FEIA	0.13	kUA/L	< 0.35
ALLERGY HOUSE DUST MITE- DERMATOPHAGOIDES FARINAE (BY PHADIA)	FEIA	0.07	kUA/L	< 0.35
ALLERGY COCKROACH GERMAN (BY PHADIA)	FEIA	0.12	kUA/L	< 0.35
ALLERGY ASPERGILLUS FUMIGATUS (BY PHADIA)	FEIA	0.24	kUA/L	< 0.35
ALLERGY ASPERGILLUS NIGER (BY PHADIA)	FEIA	0.12	kUA/L	< 0.35
ALLERGY ASPERGILLUS TERREUS (BY PHADIA)	FEIA	0.19	kUA/L	< 0.35
ALLERGY ASPERGILLUS FLAVUS (BY PHADIA)	FEIA	0.1	kUA/L	< 0.35
ALLERGY ALTERNARIA ALTERNATA (BY PHADIA)	FEIA	0.13	kUA/L	< 0.35

Please correlate with clinical conditions.

Method :

APDUS - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APHDP - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APHDF - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APCOC - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APASF - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APASN - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APAST - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APASP - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APALT - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD

Dummy Report

Tests Done : ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)

Report Remarks : PatientId:AP28618010 Labcode:0801001087/IT001

Doctor 1 Sign

Doctor 2 Sign

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: XXXXXXXXXXXXXXXX	Sample Collected on (SCT)	: XXXXXXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXXXX	Sample Received on (SRT)	: XXXXXXXXXXXXXXXX
Sample Collected At	: XXXXXXXXXXXXXXXX	Report Released on (RRT)	: XXXXXXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALLERGY CAT DANDER (BY PHADIA)	FEIA	0.22	kUA/L	< 0.35
ALLERGY HORSE DANDER (BY PHADIA)	FEIA	0.14	kUA/L	< 0.35
ALLERGY DOG DANDER (BY PHADIA)	FEIA	0.11	kUA/L	< 0.35

Please correlate with clinical conditions.

Method :

APCAT - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APHOR - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APDOG - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD

Dummy Report

Tests Done : ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)

Report Remarks : PatientId:AP28618010 Labcode:0801001087/IT001

Doctor 1 Sign **Doctor 2 Sign**

Patient Name	: XXXXXXXXXXXXXXXX	Sample Collected on (SCT)	: XXXXXXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXXXX	Sample Received on (SRT)	: XXXXXXXXXXXXXXXX
Sample Collected At	: XXXXXXXXXXXXXXXX	Report Released on (RRT)	: XXXXXXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALLERGY PEANUT (BY PHADIA)	FEIA	0.25	kUA/L	< 0.35
ALLERGY HAZEL NUT (BY PHADIA)	FEIA	0.1	kUA/L	< 0.35
ALLERGY BRAZIL NUT (BY PHADIA)	FEIA	0.21	kUA/L	< 0.35
ALLERGY ALMOND (BY PHADIA)	FEIA	0.13	kUA/L	< 0.35

Please correlate with clinical conditions.

Method :

APPEN - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APHAZ - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APBRN - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD
APALM - IMMUNOCAP, FLUORESCENT ENZYME IMMUNOASSAY (FEIA) METHOD

~~ End of report ~~

Dummy Report

Tests Done : ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)

Report Remarks : PatientId:AP28618010 Labcode:0801001087/IT001

Doctor 1 Sign **Doctor 2 Sign**

CUSTOMER DETAILS

As declared in our data base

Name: XXXXXXXXXXX **Age:** XX **Sex:** XX

Barcodes/Sample_Type	:	XXXXXXXXXXXXXXX
Labcode	:	XXXXXXXXXXXXXXX
Ref By	:	XXXXXXXXXXXXXXX
Sample_Type/Tests	:	SERUM SPL:ALLERGY COMPREHENSIVE PROFILE (BY PHADIA)
Sample Collected At	:	XXXXXXXXXXXXXXX
Sample Collected on (SCT)	:	XXXXXXXXXXXXXXX
Report Released on (RRT)	:	XXXXXXXXXXXXXXX
Amount Collected	:	**XXXXXXXXXXXXXXX**

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

Dummy Report

CONDITIONS OF REPORTING


- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at **customersupport@thyrocare.com** or call us on **022-3090 0000**





+ T&C Apply, #As on 5th December 2024 (Applicable for all company owned labs except Bhagalpur & Vijayawada),

⋆ As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited

Dummy Report