PROCESSED AT :
Thyrocare

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : ASAB

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
ANTI SPERM ANTIBODY (ASAB)	E.L.I.S.A	38.52	U/mL

Bio. Ref. Interval. :-

Negative : < 55
Equivocal: 55-70
Positive : > 70

Clinical Significance:

Antisperm antibodies are recognized as a significant factor in the etiology of immunologiacally related subfertilty. It has been postulated that non-specific bacterial or viral infections can lead to the induction of antibodies cross-reactive with spermatozoan antigens. This assay can detect the antibodies in male serum against sperm in cases of Varicocele, Trauma of testis, Torsion of testis, Epididymitis and chronic infection. A definitive clinical diagnosis should not be based on the results of a single diagnostic method, But should only be made by the physician after all Clinical and laboratory findings have been evaluated.

Specifications: Precision: Intra Assay (%CV): 4.2 %, Inter Assay (%CV): 13.1 %; Sensitivity: 8.55 U/ml

External Quality Control Program Participation: College of American Pathologists: Special Immunology Survey: 7193855-01

Kit Validation References: Lanteenmaki A et al: Hum Reprod (1995)10, 2824-28

Please correlate with clinical conditions.
Method:- Solid Phase Enzyme Immunoassay

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign

Doctor 2 Sign