Thyrocare

Tests you can trust

Name : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Date : xx xx xxxx

Test Asked : Kidney Profile With Electrolytes

Report Status: Complete Report



9 out of 10 Doctors trust that Thyrocare **reports are accurate & reliable***

98% Reports released within **06 Hours** of sample reaching the lab+

Samples Processed in **NABL Accredited** Labs#

700+ Tests & Profiles

Temperature-Controlled Sample Logistics

Unique Barcode Tracking & Reports with QR Code Verification

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Accredited by

NABL From 2005#

ISO 9001: 2015 - From 2015

CAP From 2007

Dummy Report

PROCESSED AT :

Thyrocare

Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : KIDNEY PROFILE WITH ELECTROLYTES

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Report Availability Summary

Note: Please refer to the table below for status of your tests.

1 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
KIDNEY PROFILE WITH ELECTROLYTES	Ready

Dummy Report

PROCESSED AT :

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : KIDNEY PROFILE WITH ELECTROLYTES

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Summary Report

Tests outside reference range

TEST NAME	OBSERVED VALUE	UNITS	Bio. Ref. Interval.
RENAL			
BLOOD UREA NITROGEN (BUN)	6	mg/dL	7.94 - 20.07
CREATININE - SERUM	0.6	mg/dL	0.72-1.18
UREA (CALCULATED)	12.84	mg/dL	Adult : 17-43

Dummy Report

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

PROCESSED AT :

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX

REF. BY : XXXXXXXXXXXXXXXX

TEST ASKED : KIDNEY PROFILE WITH ELECTROLYTES

PATIENTID : XXXXXXXXXXXXXXXX

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
SODIUM	I.S.E - INDIRECT	136	mmol/L

Bio. Ref. Interval. :
Adults: 136-145 mmol/l

Method : ION SELECTIVE ELECTRODE - INDIRECT

POTASSIUM	I.S.E - INDIRECT	4.1	mmol/L

Bio. Ref. Interval. :
ADULTS: 3.5-5.1 MMOL/L

Clinical Significance :
An abnormal increase in potassium (hyperkalemia)can profoundly affect the nervous system and increase the chance of irregular heartbeats (arrhythmias), which ,when extreme ,can be fatal. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic. The concentration of Potassium in a given specimen may vary due to differences in assay methods, calibration and reagent specificity.

Method : ION SELECTIVE ELECTRODE - INDIRECT

CHLORIDE	I.S.E - INDIRECT	99	mmol/L

Bio. Ref. Interval. :
ADULTS: 98-107 MMOL/L

Clinical Significance :
An increased level of blood chloride (called hyperchloremia) usually indicates dehydration, but can also occur with other problems that cause high blood sodium, such as Cushing syndrome or kidney disease. Hyperchloremia also occurs when too much base is lost from the body (producing metabolic acidosis) or when a person hyperventilates (causing respiratory alkalosis). A decreased level of blood chloride (called hypochloremia) occurs with any disorder that causes low blood sodium. Hypochloremia also occurs with congestive heart failure, prolonged vomiting or gastric suction, Addison disease, emphysema or other chronic lung diseases (causing respiratory acidosis), and with loss of acid from the body (called metabolic alkalosis).

Method : ION SELECTIVE ELECTRODE - INDIRECT

Please correlate with clinical conditions.

Dummy Report

Sample Collected on (SCT) : Sample collection time

Sample Received on (SRT) : Sample receiving time at Lab

Report Released on (RRT) : Report release time

Sample Type : SERUM

Labcode :

Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : KIDNEY PROFILE WITH ELECTROLYTES

PATIENTID : XXXXXXXXXXXXXXXX

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
BLOOD UREA NITROGEN (BUN)	**PHOTOMETRY**	**6**	**mg/dL**	**7.94 - 20.07**
CREATININE - SERUM	**PHOTOMETRY**	**0.6**	**mg/dL**	**0.72-1.18**
BUN / SR.CREATININE RATIO	CALCULATED	10	Ratio	9:1-23:1
UREA (CALCULATED)	**CALCULATED**	**12.84**	**mg/dL**	**Adult : 17-43**
UREA / SR.CREATININE RATIO	CALCULATED	21.4	Ratio	< 52
CALCIUM	PHOTOMETRY	9.2	mg/dL	8.8-10.6
URIC ACID	PHOTOMETRY	4.6	mg/dL	4.2 - 7.3

Please correlate with clinical conditions.

Method :

BUN - Kinetic UV Assay.
SCRE - Creatinine Enzymatic Method
B/CR - Derived from serum Bun and Creatinine values
UREAC - Derived from BUN Value.
UR/CR - Derived from UREA and Sr.Creatinine values.
CALC - Arsenazo III Method, End Point.
URIC - Uricase / Peroxidase Method

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :

Thyrocare

Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX

REF. BY : XXXXXXXXXXXXXXXX

TEST ASKED : KIDNEY PROFILE WITH ELECTROLYTES

SAMPLE COLLECTED AT :

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	121	mL/min/1.73 m2

Bio. Ref. Interval. :-

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- CKD-EPI Creatinine Equation

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time

Sample Received on (SRT) : Sample receiving time at Lab

Report Released on (RRT) : Report release time

Sample Type : SERUM

Labcode :

Barcode :

Doctor 1 Sign Doctor 2 Sign

CUSTOMER DETAILS

As declared in our data base

Name: xxxxxxxxxxxxxxxxx xxxx **Age:** xx **Sex:** xxxx

Barcodes/Sample_Type	:	
Labcode	:	
Ref By	:	
Sample_Type/Tests	:	SERUM:KIDNEY PROFILE WITH ELECTROLYTES
Sample Collected At	:	Sample collection time
Sample Collected on (SCT)	:	Sample receiving time at Lab
Report Released on (RRT)	:	Report release time
Amount Collected	:	

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

Report

Dummy

CONDITIONS OF REPORTING

- v The reported results are for information and interpretation of the referring doctor only.
- v It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- v Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- v Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- v Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- v This report is not valid for medico-legal purpose.
- v Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- v Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- v **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- v **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- v **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- v **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- v **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- v **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- v **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- v Values out of reference range requires reconfirmation before starting any medical treatment.
- v Retesting is needed if you suspect any quality shortcomings.
- v Testing or retesting should be done in accredited laboratories.
- v For suggestions, complaints, clinical support or feedback, write to us at **customersupport@thyrocare.com** or call us on **022-3090 0000**





*+T&C Apply, # Upto 95% Samples in NABL Accredited Labs, * As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)*