PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS
APOLIPOPROTEIN - A1 (APO-A1)	IMMUNOTURBIDIMETRY	132	mg/dL

Reference Range :
MALE : 86 - 152
FEMALE : 94 - 162
Method : FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY – BECKMAN COULTER

APOLIPOPROTEIN - B (APO-B)	IMMUNOTURBIDIMETRY	71	mg/dL

Reference Range :
MALE : 56 - 145
FEMALE : 53 - 138
Method : FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY – BECKMAN COULTER

APO B / APO A1 RATIO (APO B/A1)	CALCULATED	0.5	Ratio

Reference Range :
MALE : 0.40 - 1.26
FEMALE : 0.38 - 1.14
Method : DERIVED FROM SERUM APO A1 AND APO B VALUES

Please correlate with clinical conditions.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :

Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP)	IMMUNOTURBIDIMETRY	1.83	mg/L

Reference Range :-

< 1.00 - Low Risk
1.00 - 3.00 - Average Risk
>3.00 - 10.00 - High Risk
> 10.00 - Possibly due to Non-Cardiac Inflammation

Disclaimer: Persistent unexplained elevation of HSCRP >10 should be evaluated for non-cardiovascular etiologies such as infection , active arthritis or concurrent illness.

Clinical significance:
High sensitivity C- reactive Protein (HSCRP) can be used as an independent risk marker for the identification of Individuals at risk for future cardiovascular Disease. A coronary artery disease risk assessment should be based on the average of two hs-CRP tests, ideally taken two weeks apart.

Kit Validation Reference:
1.Clinical management of laboratory date in medical practice 2003-3004, 207(2003).
2.Tietz : Textbook of Clinical Chemistry and Molecular diagnostics :Second edition :Chapter 47:Page no.1507- 1508.

Please correlate with clinical conditions.
Method:- FULLY AUTOMATED LATEX AGGLUTINATION – BECKMAN COULTER

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :

Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS
Lipoprotein (a) [Lp(a)]	IMMUNOTURBIDIMETRY	7.38	mg/dL

Reference Range :-

Adults : < 30.0 mg/dl

Clinical Significance:
Determination of LPA may be useful to guide management of individuals with a family history of CHD or with existing disease. The levels of LPA in the blood depends on genetic factors; The range of variation in a population is relatively large and hence for diagnostic purpose, results should always be assessed in conjunction with the patient's medical history, clinical examination and other findings.

Specifications:
Precision %CV :- Intra assay %CV- 4.55% , Inter assay %CV-0.86 %

Kit Validation Reference:
Tietz NW,Clinical Guide to Laboratory Tests Philadelphia WB. Saunders 1995 : 442-444

Please correlate with clinical conditions.
Method:- LATEX ENHANCED IMMUNOTURBIDIMETRY

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON	PHOTOMETRY	72.18	µg/dL
Reference Range : Male : 65 - 175 Female : 50 - 170 **Method :** FERROZINE METHOD WITHOUT DEPROTEINIZATION			
TOTAL IRON BINDING CAPACITY (TIBC)	PHOTOMETRY	263.4	µg/dL
Reference Range : Male: 225 - 535 µg/dl Female: 215 - 535 µg/dl **Method :** SPECTROPHOTOMETRIC ASSAY			
% TRANSFERRIN SATURATION	CALCULATED	27.4	%
Reference Range : 13 - 45 **Method :** DERIVED FROM IRON AND TIBC VALUES			
UNSAT.IRON-BINDING CAPACITY(UIBC)	PHOTOMETRY	191.22	µg/dL
Reference Range : 162 - 368 **Method :** SPECTROPHOTOMETRIC ASSAY			

Please correlate with clinical conditions.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
TOTAL CHOLESTEROL	PHOTOMETRY	157	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	48	mg/dL	40-60
HDL / LDL RATIO	CALCULATED	0.52	Ratio	> 0.40
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	94	mg/dL	< 100
TRIG / HDL RATIO	CALCULATED	1.32	Ratio	< 3.12
TRIGLYCERIDES	PHOTOMETRY	64	mg/dL	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	3.3	Ratio	3 - 5
LDL / HDL RATIO	CALCULATED	1.9	Ratio	1.5-3.5
VLDL CHOLESTEROL	CALCULATED	12.82	mg/dL	5 - 40
NON-HDL CHOLESTEROL	CALCULATED	108.8	mg/dL	< 160

Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
HD/LD - Derived from HDL and LDL values.
LDL - Direct Measure
TRI/H - Derived from TRIG and HDL Values
TRIG - Enzymatic, End Point
TC/H - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES
LDL/ - Derived from serum HDL and LDL Values
VLDL - DERIVED FROM SERUM TRIGLYCERIDE VALUES
NHDL - Derived from serum Cholesterol and HDL values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

REPORT

NAME : XXXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ALKALINE PHOSPHATASE	PHOTOMETRY	83.7	U/L	45-129
BILIRUBIN -DIRECT	PHOTOMETRY	0.1	mg/dL	< 0.3
BILIRUBIN - TOTAL	PHOTOMETRY	0.3	mg/dL	0.3-1.2
BILIRUBIN (INDIRECT)	CALCULATED	0.2	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	**PHOTOMETRY**	**40.4**	**U/L**	**< 38**
SGOT / SGPT RATIO	CALCULATED	0.94	Ratio	< 2
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	25.96	U/L	< 31
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	27.5	U/L	< 34
PROTEIN - TOTAL	PHOTOMETRY	6.11	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	3.95	gm/dL	3.2-4.8
SERUM GLOBULIN	**CALCULATED**	**2.16**	**gm/dL**	**2.5-3.4**
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.83	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method
BILD - Vanadate Oxidation
BILT - Vanadate Oxidation
BILI - DERIVED FROM SERUM TOTAL AND DIRECT BILIRUBIN VALUES
GGT - Modified IFCC method
OT/PT - Derived from SGOT and SGPT values.
SGOT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION
SGPT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION
PROT - BIURET METHOD
SALB - ALBUMIN BCG¹METHOD (COLORIMETRIC ASSAY ENDPOINT)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

NAME : XXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

PATIENTID :

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
UREA (CALCULATED)	CALCULATED	26.11	mg/dL	Adult : 17-43
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	12.2	mg/dL	7.94 - 20.07
UREA / SR.CREATININE RATIO	CALCULATED	48.35	Ratio	< 52
CREATININE - SERUM	**PHOTOMETRY**	**0.54**	**mg/dL**	**0.55-1.02**
URIC ACID	PHOTOMETRY	4.69	mg/dL	3.2 - 6.1
CALCIUM	**PHOTOMETRY**	**8.75**	**mg/dL**	**8.8-10.6**
BUN / SR.CREATININE RATIO	CALCULATED	22.59	Ratio	9:1-23:1

Please correlate with clinical conditions.

Method :

UREAC - Derived from BUN Value.
BUN - KINETIC UV ASSAY.
UR/CR - Derived from UREA and Sr.Creatinine values.
SCRE - CREATININE ENZYMATIC METHOD
URIC - Uricase / Peroxidase Method
CALC - ARSENAZO III METHOD, END POINT.
B/CR - DERIVED FROM SERUM BUN AND CREATININE VALUES

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :

Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
TOTAL TRIIODOTHYRONINE (T3)	C.M.I.A	87	ng/dL	58-159
TOTAL THYROXINE (T4)	C.M.I.A	6.23	µg/dL	4.87-11.72
TSH - ULTRASENSITIVE	C.M.I.A	0.858	µIU/mL	0.35-4.94

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3 - Fully Automated Chemi Luminescent Microparticle Immunoassay
T4 - Fully Automated Chemi Luminescent Microparticle Immunoassay
USTSH - Fully Automated Chemi Luminescent Microparticle Immunoassay

Pregnancy reference ranges for TSH/USTSH :

Trimester || T3 (ng/dl) || T4 (µg/dl) || TSH/USTSH (µIU/ml)
1st || 83.9-196.6 || 4.4-11.5 || 0.1-2.5
2nd || 86.1-217.4 || 4.9-12.2 || 0.2-3.0
3rd || 79.9-186 || 5.1-13.2 || 0.3-3.5

References :

1. Carol Devilia, C I Parhon. First Trimester Pregnancy ranges for Serum TSH and Thyroid Tumor reclassified as Benign. Acta Endocrinol. 2016; 12(2) : 242 - 243
2. Kulhari K, Negi R, Kalra DK et al. Establishing Trimester specific Reference ranges for thyroid hormones in Indian women with normal pregnancy : New light through old window. Indian Journal of Contemporary medical research. 2019; 6(4)

Disclaimer :

Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference
In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :

Thyrocare

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	128	mL/min/1.73 m2

Reference Range :-

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- CKD-EPI Creatinine Equation

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

REPORT

NAME : XXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ARSENIC	ICP-MS	0.91	µg/L	< 5
CADMIUM	ICP-MS	0.64	µg/L	< 1.5
MERCURY	ICP-MS	2.03	µg/L	< 5
LEAD	ICP-MS	26.95	µg/L	< 150
CHROMIUM	ICP-MS	4.83	µg/L	< 30
BARIUM	ICP-MS	3.48	µg/L	< 30
COBALT	ICP-MS	0.14	µg/L	0.10 - 1.50
CAESIUM	ICP-MS	1.71	µg/L	< 5
THALLIUM	ICP-MS	0.05	µg/L	< 1
URANIUM	ICP-MS	0.08	µg/L	< 1
STRONTIUM	ICP-MS	35.39	µg/L	8 - 38
ANTIMONY	ICP-MS	5.95	µg/L	0.10 - 18
TIN	ICP-MS	0.58	µg/L	< 2
MOLYBDENUM	ICP-MS	0.93	µg/L	0.70 - 4.0
SILVER	ICP-MS	0.83	µg/L	< 4
VANADIUM	ICP-MS	0.17	µg/L	< 0.8
BERYLLIUM	**ICP-MS**	**0.04**	**µg/L**	**0.10 - 0.80**
BISMUTH	ICP-MS	0.18	µg/L	0.10 - 0.80
SELENIUM	ICP-MS	97.44	µg/L	60 - 340
ALUMINIUM	ICP-MS	10.48	µg/L	< 30
NICKEL	ICP-MS	1.96	µg/L	< 15
MANGANESE	ICP-MS	16.25	µg/L	7.10 - 20

Please correlate with clinical conditions.

Method :

ICP - MASS SPECTROMETRY
Note:Reference range has been obtained after considering 95% population as cutoff.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : EDTA
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

REPORT

NAME : XXXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC)			
	H.P.L.C	5.4	%

Reference Range :

Reference Range: As per ADA Guidelines	Guidance For Known Diabetics
Below 5.7% : Normal 5.7% - 6.4% : Prediabetic >=6.5% : Diabetic	Below 6.5% : Good Control 6.5% - 7% : Fair Control 7.0% - 8% : Unsatisfactory Control >8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	108	mg/dL

Reference Range :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : EDTA
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :
Thyrocare,

MC-4246

Thyrocare
Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : XXXXXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM 1.2 WITH UTSH
PATIENTID :

HOME COLLECTION :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	VALUE	UNITS	REFERENCE RANGE
TOTAL LEUCOCYTES COUNT (WBC)	6.83	X 10³ / µL	4.0 - 10.0
NEUTROPHILS	58.4	%	40-80
LYMPHOCYTE PERCENTAGE	36.3	%	20-40
MONOCYTES	2.9	%	2-10
EOSINOPHILS	1.8	%	1-6
BASOPHILS	0.3	%	0-2
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	0.3	%	0.0-0.4
NEUTROPHILS - ABSOLUTE COUNT	3.99	X 10³ / µL	2.0-7.0
LYMPHOCYTES - ABSOLUTE COUNT	2.48	X 10³ / µL	1.0-3.0
MONOCYTES - ABSOLUTE COUNT	0.2	X 10³ / µL	0.2 - 1.0
BASOPHILS - ABSOLUTE COUNT	0.02	X 10³ / µL	0.02 - 0.1
EOSINOPHILS - ABSOLUTE COUNT	0.12	X 10³ / µL	0.02 - 0.5
IMMATURE GRANULOCYTES(IG)	0.02	X 10³ / µL	0.0-0.3
TOTAL RBC	4.28	X 10^6/µL	3.8-4.8
NUCLEATED RED BLOOD CELLS	0.01	X 10³ / µL	<0.01
NUCLEATED RED BLOOD CELLS %	0.01	%	<0.01
HEMOGLOBIN	**11.8**	**g/dL**	**12.0-15.0**
HEMATOCRIT(PCV)	37.3	%	36.0-46.0
MEAN CORPUSCULAR VOLUME(MCV)	87.1	fL	83.0-101.0
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	27.6	pq	27.0-32.0
MEAN CORP.HEMO.CONC(MCHC)	31.6	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	**38.6**	**fL**	**39.0-46.0**
RED CELL DISTRIBUTION WIDTH (RDW-CV)	12.1	%	11.6-14.0
PLATELET DISTRIBUTION WIDTH(PDW)	**8.8**	**fL**	**9.6-15.2**
MEAN PLATELET VOLUME(MPV)	8.8	fL	6.5-12
PLATELET COUNT	258	X 10³ / µL	150-410
PLATELET TO LARGE CELL RATIO(PLCR)	**15**	**%**	**19.7-42.4**
PLATELETCRIT(PCT)	0.23	%	0.19-0.39

Remarks : Alert!!! Predominantly normocytic normochromic with ovalocytes. Platelets:Appear adequate in smear.

Please Correlate with clinical conditions.
Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)
(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : EDTA
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

CONDITIONS OF REPORTING


- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc
- For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- SMS:<Labcode No.> to **9870666333**





Dummy Report