PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

*9 out of 10 Doctors Trust that Thyrocare Reports are **Accurate & Reliable***

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : HbA1c,HEMOGRAM

PATIENTID : XXXXXXXXXXXXXXXX

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC - NGSP Certified)			
	H.P.L.C	5	%

Bio. Ref. Interval. :

Bio. Ref. Interval.: As per ADA Guidelines	Guidance For Known Diabetics
Below 5.7% : Normal 5.7% - 6.4% : Prediabetic >=6.5% : Diabetic	Below 6.5% : Good Control 6.5% - 7% : Fair Control 7.0% - 8% : Unsatisfactory Control >8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	97	mg/dL

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control 121 - 150 mg/dl : Fair Control 151 - 180 mg/dl : Unsatisfactory Control > 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : EDTA
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : HbA1c,HEMOGRAM
PATIENTID : XXXXXXXXXXXXXXXX

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	VALUE	UNITS	Bio. Ref. Interval.
TOTAL LEUCOCYTES COUNT (WBC)	**12.84**	**X 10³ / µL**	**4.0 - 10.0**
NEUTROPHILS	76.5	%	40-80
LYMPHOCYTE	**17.8**	**%**	**20-40**
MONOCYTES	2.2	%	2-10
EOSINOPHILS	2.9	%	1-6
BASOPHILS	0.3	%	0-2
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	0.3	%	0-0.5
NEUTROPHILS - ABSOLUTE COUNT	**9.78**	**X 10³ / µL**	**2.0-7.0**
LYMPHOCYTES - ABSOLUTE COUNT	2.29	X 10³ / µL	1.0-3.0
MONOCYTES - ABSOLUTE COUNT	0.28	X 10³ / µL	0.2 - 1.0
BASOPHILS - ABSOLUTE COUNT	0.04	X 10³ / µL	0.02 - 0.1
EOSINOPHILS - ABSOLUTE COUNT	0.37	X 10³ / µL	0.02 - 0.5
IMMATURE GRANULOCYTES(IG)	0.08	X 10³ / µL	0-0.3
TOTAL RBC	**4.23**	**X 10^6/µL**	**4.5-5.5**
NUCLEATED RED BLOOD CELLS	0.01	X 10³ / µL	0.0-0.5
NUCLEATED RED BLOOD CELLS %	0.01	%	0.0-5.0
HEMOGLOBIN	**12.1**	**g/dL**	**13.0-17.0**
HEMATOCRIT(PCV)	**38.5**	**%**	**40.0-50.0**
MEAN CORPUSCULAR VOLUME(MCV)	91	fL	83.0-101.0
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	28.6	pq	27.0-32.0
MEAN CORP.HEMO.CONC(MCHC)	**31.4**	**g/dL**	**31.5-34.5**
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	**56.6**	**fL**	**39-46**
RED CELL DISTRIBUTION WIDTH (RDW-CV)	**16.9**	**%**	**11.6-14**
PLATELET DISTRIBUTION WIDTH(PDW)	13.2	fL	9.6-15.2
MEAN PLATELET VOLUME(MPV)	11	fL	6.5-12
PLATELET COUNT	254	X 10³ / µL	150-410
PLATELET TO LARGE CELL RATIO(PLCR)	34	%	19.7-42.4
PLATELETCRIT(PCT)	0.28	%	0.19-0.39

Remarks : Alert!!! RBCs:Mild anisopoikilocytosis. Predominantly normocytic normochromic with ovalocytes. WBCs:Mild Leukocytosis is present. Platelets:Appear adequate in smear.

Please Correlate with clinical conditions.
Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)
(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : EDTA
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

Dummy Report

PROCESSED AT :
Thyrocare
D-37/1,TTC MIDC,Turbhe,
Navi Mumbai-400 703

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM CAMP PROFILE 1

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID :

TEST NAME XXXXXXXXXXXXXXXX	**TECHNOLOGY**	**VALUE**	**UNITS**	**Bio. Ref. Interval.**
TOTAL CHOLESTEROL	PHOTOMETRY	177	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	**PHOTOMETRY**	**66**	**mg/dL**	**40-60**
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	87	mg/dL	< 100
TRIGLYCERIDES	PHOTOMETRY	56	mg/dL	< 150
TC/ HDL CHOLESTEROL RATIO	**CALCULATED**	**2.7**	**Ratio**	**3 - 5**
TRIG / HDL RATIO	CALCULATED	0.85	Ratio	< 3.12
LDL / HDL RATIO	**CALCULATED**	**1.3**	**Ratio**	**1.5-3.5**
HDL / LDL RATIO	CALCULATED	0.76	Ratio	> 0.40
NON-HDL CHOLESTEROL	CALCULATED	111	mg/dL	< 160
VLDL CHOLESTEROL	CALCULATED	11.2	mg/dL	5 - 40

Please correlate with clinical conditions.

Method :

CHOL - CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE
HCHO - DIRECT ENZYMATIC COLORIMETRIC
LDL - DIRECT MEASURE
TRIG - ENZYMATIC, END POINT
TC/H - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES
TRI/H - DERIVED FROM TRIG AND HDL VALUES
LDL/ - DERIVED FROM SERUM HDL AND LDL VALUES
HD/LD - DERIVED FROM HDL AND LDL VALUES.
NHDL - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES
VLDL - DERIVED FROM SERUM TRIGLYCERIDE VALUES

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	**(mg/dl)**	**HDL**	**(mg/dl)**	**LDL**	**(mg/dl)**	**TRIGLYCERIDES**	**(mg/dl)**
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

Dummy Report

PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM CAMP PROFILE 1

PATIENTID : XXXXXXXXXXXXXXXX

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALKALINE PHOSPHATASE	PHOTOMETRY	123	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	1	mg/dL	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.3	mg/dL	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.7	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	34	U/L	< 55
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	12	U/L	< 35
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	11	U/L	< 45
SGOT / SGPT RATIO	CALCULATED	1.09	Ratio	< 2
PROTEIN - TOTAL	PHOTOMETRY	7	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	4	gm/dL	3.2-4.8
SERUM GLOBULIN	CALCULATED	3	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.33	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - MODIFIED IFCC METHOD
BILT - VANADATE OXIDATION
BILD - VANADATE OXIDATION
BILI - DERIVED FROM SERUM TOTAL AND DIRECT BILIRUBIN VALUES
GGT - MODIFIED IFCC METHOD
SGOT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION
SGPT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION
OT/PT - DERIVED FROM SGOT AND SGPT VALUES.
PROT - BIURET METHOD
SALB - ALBUMIN BCG¹METHOD (COLORIMETRIC ASSAY ENDPOINT)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM CAMP PROFILE 1

PATIENTID : XXXXXXXXXXXXXXXX

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	12	mg/dL	7.94 - 20.07
CREATININE - SERUM	**PHOTOMETRY**	**0.7**	**mg/dL**	**0.72-1.18**
BUN / SR.CREATININE RATIO	CALCULATED	17.14	Ratio	9:1-23:1
UREA (CALCULATED)	CALCULATED	25.68	mg/dL	Adult : 17-43
UREA / SR.CREATININE RATIO	CALCULATED	36.69	Ratio	< 52
CALCIUM	PHOTOMETRY	9	mg/dL	8.8-10.6
URIC ACID	PHOTOMETRY	6	mg/dL	4.2 - 7.3

Please correlate with clinical conditions.

Method :

BUN - KINETIC UV ASSAY.
SCRE - CREATININE ENZYMATIC METHOD
B/CR - DERIVED FROM SERUM BUN AND CREATININE VALUES
UREAC - DERIVED FROM BUN VALUE.
UR/CR - DERIVED FROM UREA AND SR.CREATININE VALUES.
CALC - ARSENAZO III METHOD, END POINT.
URIC - URICASE / PEROXIDASE METHOD

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :

Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXX

REF. BY : XXXXXXXXXXXXXXXX

TEST ASKED : AAROGYAM CAMP PROFILE 1

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	C.L.I.A	123	ng/dL	60-200
TOTAL THYROXINE (T4)	C.L.I.A	7	µg/dL	4.5-12
TSH - ULTRASENSITIVE	C.M.I.A	1	µIU/mL	0.35-4.94

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY
T4 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY
USTSH - FULLY AUTOMATED CHEMI LUMINESCENT MICROPARTICLE IMMUNOASSAY

Disclaimer : Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

PROCESSED AT :
Thyrocare

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : XXXXXXXXXXXXXXXX
REF. BY : XXXXXXXXXXXXXXXX
TEST ASKED : AAROGYAM CAMP PROFILE 1

SAMPLE COLLECTED AT :
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PATIENTID : XXXXXXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	114	mL/min/1.73 m2

Bio. Ref. Interval. :-

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.
Method:- CKD-EPI Creatinine Equation

~~ End of report ~~

Dummy Report

Sample Collected on (SCT) : Sample collection time
Sample Received on (SRT) : Sample receiving time at Lab
Report Released on (RRT) : Report release time
Sample Type : SERUM
Labcode :
Barcode :

Doctor 1 Sign Doctor 2 Sign

CUSTOMER DETAILS

As declared in our data base

Name: xxxxxxxxxxxxxxxxx **Age:** xxxxxx **Sex:** xxxxxxxxxxxxxxxxx

Barcodes/Sample_Type	:	xxxxxxxxxxxxxxxxx
Labcode	:	xxxxxxxxxxxxxxxxx
Ref By	:	SELF
Sample_Type/Tests	:	EDTA:HBA , HEMOGRAM - 6 PART (DIFF) SERUM:AAROGYAM CAMP PROFILE 1
Sample Collected At	:	xxxxxxxxxxxxxxxxx
Sample Collected on (SCT)	:	Sample receiving time at Lab
Report Released on (RRT)	:	Report release time
Amount Collected	:	xxxxxxxxxxxxxxxxx

Dummy Report

CONDITIONS OF REPORTING


- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc
- For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 61 30 00**
- SMS:<Labcode No.> to **9 666333**





*As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)