Thyrocare

Tests you can trust

Name : XXXXXXXX XXXXXXXXXXXX

Date : XX XX XXXX

Test Asked : Allergy - Comprehensive Package (by Elisa)

Report Status : Complete Report

DEMO REPORT



First National Diagnostic Chain
to have **100% of its Labs with NABL Accreditation**#



Accredited by

NABL From 2005# | ISO 9001: 2015 – From 2015 | CAP From 2011~

Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity of reported values

QR code will remain active for 30 days from report release date

98% Reports released within **06 Hours** of sample reaching the lab*

9 out of 10 Doctors Trust that Thyrocare reports are **Accurate & Reliable***

1200+ Tests & Profiles

Temperature-Controlled Sample Logistics

Unique Barcode Tracking

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation®

Patient Name	:	XXXXXXXXXXXXXX	Tests Done	:	ALLERGY - COMPREHENSIVE PACKAGE (BY ELISA)
Referred By	:	XXXXXXXXXXXXXX			
Address	:	XXXXXXXXXXXXXX			

Report Availability Summary

Note: Please refer to the table below for status of your tests.

3 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
ALLERGY - COMPREHENSIVE PACKAGE (BY ELISA)	Ready
Allergy Comprehensive Package (By Elisa)	Ready
TOTAL IGE	Ready
ALLERGY COMPREHENSIVE PACKAGE BY ELISA	Ready

DUMMY REPORT

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) XXXXXXXXXXXX
Sample Received on (SRT) XXXXXXXXXXXX
Report Released on (RRT) :XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

Allergens you are sensitive to

Sensitivity Scale (IU/ml)

0 | 0.35 | 0.7 | 3.5 | 17.5 | ≥100

Item and Remark	Value (IU/ml)	Item and Remark	Value (IU/ml)
ALLERGY GOAT DANDER (BY ELISA)	101	ALLERGY ONION (BY ELISA)	21
Goat dander triggers respiratory and skin sensitivity. Avoid exposure in pashmina/cashmere wool, mohair fabrics, and proximity to livestock.		Onion proteins trigger food allergies. Avoid fresh onions and related vegetable extracts.	
ALLERGY WALNUT (BY ELISA)	12.21	ALLERGY COFFEE(BY ELISA)	12.21
Walnut proteins trigger food allergies, avoid raw walnuts, walnut oil, and hidden extracts in bakery, chutneys, or desserts.		Coffee triggers skin or respiratory hypersensitivity, avoid brewed coffee, instant mixes, and hidden caffeine extracts in desserts.	
ALLERGY DRUG AMOXYCILLIN (BY ELISA)	12.21	ALLERGY TEA(BY ELISA)	12.21
Amoxicillin triggers severe drug allergies. Avoid all penicillin-group antibiotics, and always wear a medical alert tag.		Tea triggers mild skin or respiratory hypersensitivity, avoid brewed tea, tea extracts, and flavoured beverages or desserts.	
ALLERGY DRUG AMPICILLIN (BY ELISA)	12.21	ALLERGY BLACK PEPPER(BY ELISA)	12.21
Ampicillin triggers severe drug allergies. Avoid all penicillin-group antibiotics, and always wear a medical alert tag.		Black pepper triggers oral, skin, or respiratory hypersensitivity, avoid ground pepper, spice blends, and pepper-seasoned foods.	
ALLERGY CARROT(BY ELISA)	12.21	ALLERGY DRUG BRUFEN (IBUPROFEN) (BY ELISA)	12.21
Carrot triggers oral itching and skin reactions, avoid raw carrots, juices, and salads, especially with birch pollen sensitivity.		Brufen triggers severe drug hypersensitivity or intolerance. Avoid all NSAIDs, hidden ibuprofen in cold remedies, and topical pain-relief gels.	
ALLERGY CORIANDER(BY ELISA)	12.21	ALLERGY DRUG CIPROFLOXACIN (BY ELISA)	12.21
Coriander triggers oral, skin, or respiratory hypersensitivity, avoid fresh coriander leaves, seeds, and garnished dishes or chutneys.		Ciprofloxacin triggers drug hypersensitivity or intolerance. Avoid all fluoroquinolone antibiotics, and always notify medical staff.	
ALLERGY HAZEL NUT(BY ELISA)	12.21	ALLERGY DRUG CLOXACILLIN (BY ELISA)	12.21
Hazelnut triggers oral, skin, or systemic food allergies, avoid raw hazelnuts, chocolate spreads, and bakery products with nut extracts.		Cloxacillin triggers severe drug allergies. Avoid all penicillin-group antibiotics, and always wear a medical alert tag.	
ALLERGY OLIVE(BY ELISA)	12.21	ALLERGY DRUG DOXYCYCLINE (BY ELISA)	12.21
Olive pollen and fruit trigger seasonal respiratory or food allergies, avoid high-pollen areas, olive oil, and table olives.		Doxycycline triggers drug hypersensitivity or photosensitivity. Avoid all tetracycline-group antibiotics, and always notify medical staff.	

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY ACACIA ARABICA(BY ELISA)	[redacted]	12.21	Acacia pollen triggers seasonal respiratory allergies, avoid high-pollen areas near acacia trees during flowering and windy conditions.
ALLERGY ALTERNARIA ALTERNATA(BY ELISA)	[redacted]	12.21	Alternaria mold spores trigger respiratory allergies and asthma, avoid damp areas, decaying vegetation, and poorly ventilated indoor spaces.
ALLERGY ARTEMISIA SCOPARIA(BY ELISA)	[redacted]	12.21	Artemisia (mugwort) pollen triggers seasonal respiratory allergies, avoid open fields, roadside weeds, and high-pollen outdoor exposure.
ALLERGY ASPERGILLUS TAMARIE(BY ELISA)	[redacted]	12.21	Aspergillus mold spores trigger respiratory allergies and fungal sensitisation, avoid damp grain stores, compost, and decaying organic matter.
ALLERGY BAJARI DUST(BY ELISA)	[redacted]	12.21	Bajra (pearl millet) dust triggers occupational respiratory allergies, avoid grain handling, milling areas, and unventilated storage spaces.
ALLERGY CANDIDA ALBICANS(BY ELISA)	[redacted]	12.21	Candida yeast triggers skin, respiratory, or systemic hypersensitivity, avoid prolonged moisture exposure and unmanaged fungal infections.
ALLERGY DRUG BROMHEXINE (BY ELISA)	[redacted]	12.21	Bromhexine triggers drug hypersensitivity or intolerance. Avoid hidden ingredients in cough syrups, elixirs, and combination cold medications.
ALLERGY DRUG CEFIXIME (CEFACLOR) (BY ELISA)	[redacted]	12.21	Cefixime and Cefaclor trigger severe Cephalosporin allergies. Avoid related beta-lactam antibiotics, and always notify medical staff.
ALLERGY CLADOSPORIUM HERBARUM(BY ELISA)	[redacted]	12.21	Cladosporium mold spores trigger respiratory allergies and asthma, avoid damp outdoor areas, decaying leaves, and poorly ventilated spaces.
ALLERGY DRUG ERYTHROMYCIN (BY ELISA)	[redacted]	12.21	Erythromycin triggers drug hypersensitivity or intolerance. Avoid all macrolide-group antibiotics, and always notify medical staff.
ALLERGY DRUG NORFLOXACIN (BY ELISA)	[redacted]	12.21	Norfloxacin triggers drug hypersensitivity or intolerance. Avoid all fluoroquinolone antibiotics, hidden ingredients in certain eye drops.
ALLERGY DRUG OFLOXACIN (BY ELISA)	[redacted]	12.21	Ofloxacin triggers drug hypersensitivity or intolerance. Avoid all fluoroquinolone antibiotics, and always notify medical staff.
ALLERGY DRUG OXACILLIN (BY ELISA)	[redacted]	12.21	Oxacillin triggers severe drug allergies. Avoid all penicillin-group antibiotics, and always wear a medical alert tag.
ALLERGY DRUG PARACETAMOL (BY ELISA)	[redacted]	12.21	Paracetamol triggers drug hypersensitivity or intolerance, and always notify medical staff before any surgical or dental procedures.
ALLERGY CARICA PAPAYA(BY ELISA)	[redacted]	12.21	Papaya triggers oral, skin, or systemic food allergies, avoid raw papaya, papain-containing products, and papaya-based skincare.
ALLERGY CHENOPODIUM ALBUM(BY ELISA)	[redacted]	12.21	Bathua (Chenopodium) pollen triggers seasonal respiratory allergies, avoid open fields, roadside weeds, and high-pollen outdoor exposure.
ALLERGY DRUG METAMIZOL (BY ELISA)	[redacted]	12.21	Metamizole triggers severe drug hypersensitivity. Avoid all pyrazolone derivatives, hidden ingredients in pain-relief injections.
ALLERGY DRUG PENICILLIN (BY ELISA)	[redacted]	12.21	Penicillin triggers severe Beta-lactam allergies. Avoid all related penicillins, hidden ingredients in certain medical injections.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY COCUS NUCIFERA(BY ELISA)	[redacted]	12.21	Coconut fibre (coir) dust triggers occupational respiratory allergies, avoid coir processing units, husk dust, and unventilated work areas.
ALLERGY DRUG SULPHA (BY ELISA)	[redacted]	12.21	Sulpha triggers severe drug hypersensitivity. Avoid all sulphonamide antibiotics, and always notify medical staff of your sensitivity.
ALLERGY COTTON DUST(BY ELISA)	[redacted]	12.21	Cotton dust triggers occupational respiratory allergies including byssinosis, avoid textile mills, ginning units, and unventilated storage areas.
ALLERGY DRUG TETRACYCLINE (BY ELISA)	[redacted]	12.21	Tetracycline triggers drug hypersensitivity or photosensitivity. Avoid all tetracycline-group antibiotics, and always notify medical staff.
ALLERGY CRICKET(BY ELISA)	[redacted]	12.21	Cricket protein triggers food or contact allergic reactions, avoid cricket-based protein foods and products with shellfish cross-reactivity risk.
ALLERGY DRUG TINIDAZOLE (BY ELISA)	[redacted]	12.21	Tinidazole triggers drug hypersensitivity or intolerance. Avoid all nitroimidazole antibiotics, and always notify medical staff.
ALLERGY DAISY(BY ELISA)	[redacted]	12.21	Daisy pollen triggers seasonal respiratory and contact allergies, avoid handling fresh daisy flowers and high-pollen garden exposure.
ALLERGY DRUG INSULIN (BY ELISA)	[redacted]	12.21	Insulin triggers hypersensitivity via protein. Avoid specific brands or sources (Bovine/Porcine/Human/Analog).
ALLERGY DANDELION(BY ELISA)	[redacted]	12.21	Dandelion pollen triggers seasonal respiratory allergies, avoid open fields, mowed lawns, and high-pollen outdoor exposure during flowering.
ALLERGY DRUG XYLOCAINE (LIDOCAINE) (BY ELISA)	[redacted]	12.21	Xylocaine triggers systemic hypersensitivity. Avoid all Amide-type local anesthetics, ingredients in throat sprays or dental gels.
ALLERGY EUCALYPTUS(BY ELISA)	[redacted]	12.21	Eucalyptus pollen and oil trigger respiratory or contact allergies, avoid high-pollen areas, eucalyptus oil products, and inhalant balms.
ALLERGY PAPER DUST (BY ELISA)	[redacted]	12.21	Paper dust triggers respiratory and skin hypersensitivity. Avoid poorly ventilated archives, print shops, and paper processing areas.
ALLERGY FEATHER DUST(BY ELISA)	[redacted]	12.21	Feather and down dust trigger respiratory allergies and asthma, avoid feather pillows, down comforters, and unclean bird-keeping environments.
ALLERGY PERFUME (BY ELISA)	[redacted]	12.21	Perfume triggers contact dermatitis or respiratory hypersensitivity. Avoid fragrances in soaps, and cosmetics.
ALLERGY FLOUR MILL DUST(BY ELISA)	[redacted]	12.21	Flour mill dust triggers occupational respiratory allergies including baker's asthma, avoid milling units, bakeries, and unventilated flour storage.
ALLERGY HONEY BEE(BY ELISA)	[redacted]	12.21	Honey bee venom triggers severe sting-related allergic reactions, avoid bee handling, apiaries, and outdoor areas with active beehives.
ALLERGY DOG DANDER (BY ELISA)	[redacted]	12.21	Dog dander proteins trigger respiratory and skin allergies. Avoid direct contact and contaminated environments.
ALLERGY PAINTS (BY ELISA)	[redacted]	12.21	Paints trigger respiratory and skin hypersensitivity. Avoid VOCs in freshly painted rooms, oil-based solvents.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY JEERA DUST(BY ELISA)	[redacted]	12.21	Cumin (jeera) dust triggers occupational respiratory allergies, avoid spice mills, processing units, and unventilated cumin storage areas.
ALLERGY JOWAR DUST(BY ELISA)	[redacted]	12.21	Jowar (sorghum) grain dust triggers occupational respiratory allergies, avoid grain milling, threshing areas, and unventilated storage spaces.
ALLERGY DETERGENT (BY ELISA)	[redacted]	12.21	Detergent triggers contact dermatitis and respiratory hypersensitivity. Avoid enzymes, fragrances, and always opt for Hypoallergenic variants.
ALLERGY PARTHENIUM (COMMON RAGWEED) (BY ELISA)	[redacted]	12.21	Parthenium triggers severe seasonal respiratory. Avoid exposure in wasteland, and always keep windows closed during peak pollen seasons.
ALLERGY JULIFLORA(BY ELISA)	[redacted]	12.21	Prosopis juliflora pollen triggers seasonal respiratory allergies, avoid high-pollen areas near juliflora trees during flowering season.
ALLERGY STORAGE MITE (BY ELISA)	[redacted]	12.21	Storage mites trigger respiratory and skin hypersensitivity. Avoid exposure in stored dry foods (flour, grains), damp basements.
ALLERGY JUNIPERUS COMMUNIS(BY ELISA)	[redacted]	12.21	Juniper pollen triggers seasonal respiratory allergies, avoid high-pollen areas near juniper or cypress trees during flowering months.
ALLERGY JUTE DUST(BY ELISA)	[redacted]	12.21	Jute fibre dust triggers occupational respiratory allergies, avoid jute mills, fibre processing units, and unventilated storage or weaving areas.
ALLERGY CAT DANDER (BY ELISA)	[redacted]	12.21	Cat dander proteins trigger respiratory and skin allergies. Avoid direct contact and contaminated environments.
ALLERGY LATEX(BY ELISA)	[redacted]	12.21	Latex proteins trigger contact or systemic allergies, avoid natural rubber gloves, balloons, elastic bands, and hidden latex in medical devices.
ALLERGY HAY DUST (BY ELISA)	[redacted]	12.21	Hay dust triggers severe respiratory problems. Avoid exposure in livestock feed, and always use respiratory protection.
ALLERGY LAWSONIA ENERNIL (HENNA)(BY ELISA)	[redacted]	12.21	Henna triggers contact dermatitis and skin sensitisation, avoid black henna with PPD additives, hair dyes, and unverified temporary tattoo inks.
ALLERGY WOOD DUST (BY ELISA)	[redacted]	12.21	Wood dust triggers respiratory and skin hypersensitivity. Avoid exposure in carpentry workshops, and always use industrial-grade ventilation.
ALLERGY LEATHER(BY ELISA)	[redacted]	12.21	Leather tanning chemicals trigger contact dermatitis and respiratory allergies, avoid tanning units, chrome-treated leather, and unventilated
ALLERGY NEUROSPORA SPP(BY ELISA)	[redacted]	12.21	Neurospora mold spores trigger respiratory allergies, avoid damp grain storage, decaying organic matter, and poorly ventilated indoor spaces.
ALLERGY HAIR DYE (BY ELISA)	[redacted]	12.21	Hair dye triggers severe contact dermatitis. Avoid all permanent dyes containing Paraphenylenediamine, ingredients in black henna (Kali
ALLERGY HOUSE FLY (BY ELISA)	[redacted]	12.21	House fly triggers respiratory and skin hypersensitivity. Avoid exposure in food processing units, livestock areas, and use fine mesh screens.
ALLERGY BRILLIANT GREEN (DYE)(BY ELISA)	[redacted]	12.21	Brilliant green dye triggers contact dermatitis and skin sensitisation, avoid antiseptic dye applications, textile dyes, and unprotected dye handling.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY SUNFLOWER (BY ELISA) — 12.21

Sunflower triggers seasonal respiratory problems. Avoid exposure in herbal oils, birdseed, and always check labels on products.

ALLERGY PENICILLIUM NOTATUM(BY ELISA) — 12.21

Penicillium mold spores trigger respiratory allergies and asthma, avoid damp indoor areas, stored food spoilage, and poorly ventilated spaces.

ALLERGY PHOENIX DACTYLIFERA(BY ELISA) — 12.21

Date palm pollen and fruit trigger seasonal respiratory or food allergies, avoid high-pollen areas during flowering and fresh date consumption.

ALLERGY PINE(BY ELISA) — 12.21

Pine pollen triggers seasonal respiratory allergies, avoid high-pollen forested areas near pine trees during the spring flowering season.

ALLERGY HOUSE DUST MITE (BY ELISA) — 12.21

House dust mites trigger chronic year-round respiratory hypersensitivity. Avoid reservoirs in mattresses, and soft toys.

ALLERGY PLASTIC(BY ELISA) — 12.21

Plastic compound exposure triggers contact dermatitis and respiratory irritation, avoid unventilated plastic manufacturing units and direct skin

ALLERGY COCKROACH DUST (BY ELISA) — 12.21

Cockroach dust triggers severe year-round respiratory hypersensitivity. Avoid infestations in kitchens, and always use HEPA-filtered vacuums.

ALLERGY PIGEON DROPPING (BY ELISA) — 12.21

Pigeon droppings trigger severe respiratory and systemic hypersensitivity. Avoid hidden exposure in balcony AC units, and attic spaces.

ALLERGY PHTHALIC ANHYDRIDE (POLYESTER)(BY ELISA) — 12.21

Phthalic anhydride triggers occupational respiratory and skin allergies, avoid resin and polyester manufacturing units without proper ventilation.

ALLERGY RHIZOPUS NIGRICANS(BY ELISA) — 12.21

Rhizopus mold spores trigger respiratory allergies, avoid spoiled food, damp storage areas, and decaying fruit or bread in poorly ventilated

ALLERGY CHICKEN FEATHERS (BY ELISA) — 12.21

Chicken feather proteins trigger respiratory allergies. Avoid feather-filled bedding, pillows, and close contact with poultry.

ALLERGY RICE DUST(BY ELISA) — 12.21

Rice grain dust triggers occupational respiratory allergies, avoid rice mills, husking units, and unventilated grain storage and processing areas.

ALLERGY PIGEON FEATHERS (BY ELISA) — 12.21

Pigeon feathers and droppings trigger respiratory allergies. Avoid nesting areas, balconies, and pigeon-dense public squares.

ALLERGY ETHYLENE OXIDE(BY ELISA) — 12.21

Ethylene oxide triggers occupational respiratory and skin reactions, avoid sterilisation units and inadequately ventilated medical facilities.

ALLERGY COW DANDER (BY ELISA) — 12.21

Cow dander proteins trigger respiratory and skin allergies. Avoid direct contact and agricultural environments.

ALLERGY ACRYLIC(BY ELISA) — 12.21

Acrylic compounds trigger contact dermatitis and respiratory irritation, avoid nail products, textile fibres, and unventilated manufacturing areas.

ALLERGY SILK(BY ELISA) — 12.21

Silk fibre and processing dust trigger contact and respiratory allergies, avoid silk reeling units, raw fibre handling, and unventilated weaving areas.

ALLERGY HORSE DANDER (BY ELISA) — 12.21

Horse dander proteins trigger respiratory and skin allergies. Avoid direct contact and contaminated environments.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY SORVHUM VULGARE(BY ELISA) — 12.21

Sorghum (jowar) pollen triggers seasonal respiratory allergies, avoid open agricultural fields during flowering and high-pollen outdoor exposure.

ALLERGY CHICKEN DROPPING (BY ELISA) — 12.21

Chicken droppings trigger respiratory and systemic hypersensitivity. Avoid exposure in poultry farms, backyard coops, and organic fertilizers.

ALLERGY STRAW DUST(BY ELISA) — 12.21

Straw and hay dust trigger occupational respiratory allergies, avoid handling dried straw, storage barns, and unventilated agricultural work areas.

ALLERGY HOUSE DUST (BY ELISA) — 12.21

House dust particles trigger allergic reactions. Avoid exposure to settled dust and related environmental debris.

ALLERGY TYPHA LATIFOLIA (COMMON CATTAIL)(BY ELISA) — 12.21

Cattail pollen triggers seasonal respiratory allergies, avoid wetland and marsh areas with cattail growth during the flowering season.

ALLERGY BERMUDA GRASS (BY ELISA) — 12.21

Bermuda grass pollen causes seasonal allergies. Avoid lawns and windy outdoor exposure.

ALLERGY WHEAT DUST(BY ELISA) — 12.21

Wheat grain dust triggers occupational respiratory allergies including baker's asthma, avoid flour mills, bakeries, and unventilated grain storage.

ALLERGY TIMOTHY GRASS (BY ELISA) — 12.21

Timothy Grass pollen triggers seasonal allergies. Avoid grassy, windy outdoor areas during the peak summer months.

ALLERGY ZEA MAYS(BY ELISA) — 12.21

Corn pollen triggers seasonal respiratory allergies, avoid agricultural fields during flowering season and high-pollen outdoor exposure.

ALLERGY JOHNSON GRASS (BY ELISA) — 12.21

Johnson grass pollen triggers seasonal allergies. Avoid grassy, windy outdoor areas.

ALLERGY TOBBACO (BY ELISA) — 12.21

Tobacco triggers respiratory and skin hypersensitivity. Avoid exposure in second-hand smoke (SHS), smoke on surfaces, and chewing tobacco.

ALLERGY SHEEP WOOL (TREATED)(BY ELISA) — 12.21

Treated sheep wool triggers contact dermatitis and respiratory allergies, avoid wool processing units, raw fleece handling, and woollen textile dust.

ALLERGY COLLAGEN(BY ELISA) — 12.21

Collagen triggers contact or injection-site hypersensitivity, avoid cosmetic collagen injections, supplements, and unverified skincare formulations.

ALLERGY BUFFALO DANDER (BY ELISA) — 12.21

Buffalo dander triggers respiratory and skin sensitivity. Avoid exposure in dairy farms, livestock markets, and blankets.

ALLERGY MUGWORT (BY ELISA) — 12.21

Mugwort pollen triggers seasonal allergies. Avoid weedy, windy outdoor areas, especially after the monsoon.

ALLERGY DACTYLIS GLOMERATA (COCKSFOOT)(BY ELISA) — 12.21

Cocksfoot grass pollen triggers seasonal respiratory allergies, avoid mowed lawns, open grassy fields, and high-pollen outdoor exposure.

ALLERGY MOSQUITO (BY ELISA) — 12.21

Mosquito saliva triggers localized skin and respiratory allergies. Avoid stagnant water and use protective netting or repellents.

ALLERGY LOLIUM PERENNE (RYE-GRASS)(BY ELISA) — 12.21

Rye-grass pollen triggers seasonal respiratory allergies, avoid open grassy fields, lawns, and high-pollen outdoor exposure during flowering.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY POA PRATENSIS (MEADOW GRASS)(BY ELISA)	[redacted]	12.21	Meadow grass pollen triggers seasonal respiratory allergies, avoid open meadows, mowed lawns, and high-pollen outdoor exposure during flowering.
ALLERGY COTTON LINTERS (BY ELISA)	[redacted]	12.21	Cotton linters trigger respiratory and skin sensitivity. Avoid exposure in low-grade mattresses, upholstery padding, and industrial paper.
ALLERGY AVENA SATIVA (CULTIVATED OAT)(BY ELISA)	[redacted]	12.21	Oat pollen and grain trigger seasonal respiratory or food allergies, avoid open agricultural fields during flowering and raw oat consumption.
ALLERGY TRITICUM AESTIVUM (CULTIVATED WHEAT)(BY ELISA)	[redacted]	12.21	Wheat pollen and grain trigger seasonal respiratory or food allergies, avoid open wheat fields during flowering and unprocessed wheat
ALLERGY CHICKEN (BY ELISA)	[redacted]	12.21	Chicken proteins trigger food allergies. Avoid fresh poultry and related meat extracts.
ALLERGY CRAB (BY ELISA)	[redacted]	12.21	Crab proteins trigger severe food allergies. Avoid all crab species, surimi (imitation crab), and cross-contaminated seafood.
ALLERGY AGROPYRON REPENS (COUCH (QUACK) GRASS)(BY	[redacted]	12.21	Couch grass pollen triggers seasonal respiratory allergies, avoid open grassy fields, roadside verges, and high-pollen outdoor exposure.
ALLERGY HORDEUM VULGARE (BARLEY)(BY ELISA)	[redacted]	12.21	Barley pollen and grain trigger seasonal respiratory or food allergies, avoid open barley fields during flowering and unprocessed grain exposure.
ALLERGY EGG (BY ELISA)	[redacted]	12.21	Egg proteins trigger food allergies. Avoid fresh eggs and related egg-derived ingredients.
ALLERGY FORMALDEHYDE(BY ELISA)	[redacted]	12.21	Formaldehyde triggers contact dermatitis and respiratory irritation, avoid pressed-wood products, certain textiles, and unventilated industrial
ALLERGY FISH (BY ELISA)	[redacted]	12.21	Fish triggers rapid, often life-threatening systemic hypersensitivity. Avoid exposure in Caesar dressings, fish oils, and steam from cooking.
ALLERGY XANTHIUM COMMUNE (COCKLEBUR)(BY ELISA)	[redacted]	12.21	Cocklebur pollen triggers seasonal respiratory allergies, avoid open fields, roadside weeds, and high-pollen outdoor exposure during late summer.
ALLERGY MUTTON (BY ELISA)	[redacted]	12.21	Mutton proteins trigger meat allergies. Avoid sheep meat, lamb, and hidden stocks or fats in curries like Roghan Josh or Biryani.
ALLERGY PORK (BY ELISA)	[redacted]	12.21	Pork proteins trigger food allergies. Avoid fresh pork meat and related animal extracts.
ALLERGY AMARANTHUS RETROFLEXUS (COMMON	[redacted]	12.21	Pigweed pollen triggers seasonal respiratory allergies, avoid open agricultural fields, disturbed soil, and windblown dust during flowering season.
ALLERGY PRAWN (BY ELISA)	[redacted]	12.21	Prawns trigger rapid, severe systemic hypersensitivity. Avoid exposure in shrimp pastes, seafood stocks, and cooking vapors.
ALLERGY COTTON SEED(BY ELISA)	[redacted]	12.21	Cottonseed dust triggers occupational respiratory allergies, avoid cottonseed oil mills, ginning units, and unventilated seed processing areas.
ALLERGY SHRIMP (BY ELISA)	[redacted]	12.21	Shrimp proteins trigger food allergies. Avoid fresh shrimp and related shellfish extracts.

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

DUMMY REPORT

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY JASMINUM SPP. (JASMINE)(BY ELISA) — 12.21

Jasmine pollen and fragrance triggers respiratory or contact allergies, avoid high-pollen garden areas and concentrated jasmine fragrance products.

ALLERGY MUCOR MUCEDO(BY ELISA) — 12.21

Mucor mold spores trigger respiratory allergies, avoid damp storage areas, decaying food, and poorly ventilated indoor or agricultural spaces.

ALLERGY DAL CHANA (BY ELISA) — 12.21

Dal Chana triggers rapid respiratory and skin hypersensitivity. Avoid exposure in Besan snacks, traditional Indian sweets, and hummus.

ALLERGY MILK (BY ELISA) — 12.21

Milk proteins trigger food allergies. Avoid dairy products and related food extracts.

ALLERGY HETEROCERA MIX (MOTH)(BY ELISA) — 12.21

Moth scale and body particles trigger respiratory allergies and asthma, avoid storage areas with moth infestation and poorly ventilated indoor spaces.

ALLERGY STEMPHYLIUM BOTRYOSUM(BY ELISA) — 12.21

Stemphylium mold spores trigger respiratory allergies and asthma, avoid decaying crop residue, damp agricultural fields, and poorly ventilated

ALLERGY CURD (BY ELISA) — 12.21

Curd triggers rapid respiratory, skin, and gastrointestinal hypersensitivity. Avoid exposure in Indian gravies, Lassi, and raitas.

ALLERGY PENICILLIUM BREVI, COMPACTUM(BY ELISA) — 12.21

Penicillium mold spores trigger respiratory allergies and asthma, avoid damp indoor areas, spoiled food, and poorly ventilated storage spaces.

ALLERGY CHEESE (BY ELISA) — 12.21

Cheese triggers rapid respiratory, skin, hypersensitivity. Avoid exposure in pizza, creamy pastas, and processed snacks.

ALLERGY TOMATOES (BY ELISA) — 12.21

Tomato triggers rapid skin, oral, and respiratory hypersensitivity. Avoid exposure in ketchups, and Indian curries (gravies).

ALLERGY ALMOND (BY ELISA) — 12.21

Almond proteins trigger food allergies. Avoid fresh almonds and related nut extracts.

ALLERGY CAPSICUM (BY ELISA) — 12.21

Capsicum (Shimla Mirch) triggers rapid skin, oral, and respiratory hypersensitivity. Avoid exposure in mixed vegetable curries, salads.

ALLERGY LEMON (BY ELISA) — 12.21

Lemon allergy causes skin or mouth irritation. Avoid raw lemon and citrus exposure.

ALLERGY YEAST (BY ELISA) — 12.21

Yeast proteins trigger food allergies. Avoid fresh yeast and related fermented products.

ALLERGY CUCUMBER (BY ELISA) — 12.21

Cucumber proteins trigger food allergies. Avoid fresh cucumbers and related vegetable extracts.

ALLERGY TURMERIC (BY ELISA) — 12.21

Turmeric triggers skin, respiratory, and gastrointestinal sensitivity. Avoid exposure in most Indian curries, processed foods, or supplements.

ALLERGY PAPAYA (BY ELISA) — 12.21

Papaya proteins trigger food and skin allergies. Avoid fresh fruit, latex-related products, and meat tenderizers.

ALLERGY CAULIFLOWER (BY ELISA) — 12.21

Cauliflower proteins trigger food allergies. Avoid Gobi, cauliflower-crust alternatives, and hidden purees in mixed vegetable dishes.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY PEANUT (BY ELISA)	12.21	ALLERGY SOYA BEAN (BY ELISA)	12.21
Peanut proteins trigger food allergies. Avoid whole peanuts and related nut extracts.		Soybean triggers rapid respiratory, and skin hypersensitivity. Avoid exposure in lecithins, vegetable oils, and processed meat alternatives.	
ALLERGY CASHEW NUT (BY ELISA)	12.21	ALLERGY PISTACHIO NUT (BY ELISA)	12.21
Cashew triggers rapid, severe systemic hypersensitivity. Avoid exposure in creamy restaurant gravies, traditional sweets, and vegan cheeses.		Pistachio triggers rapid, severe systemic hypersensitivity. Avoid exposure in ice creams, traditional sweets, and garnishes on desserts.	
ALLERGY LENTIL (BY ELISA)	12.21	ALLERGY PUMPKIN SEED (BY ELISA)	12.21
Lentil proteins trigger food allergies. Avoid whole lentils and related legume extracts.		Pumpkin seed triggers rapid respiratory, skin. Avoid exposure in multigrain breads, healthy seed mixes, and vegan protein powders.	
ALLERGY CLOVES (BY ELISA)	12.21	ALLERGY GINGER (BY ELISA)	12.21
Cloves trigger rapid respiratory and skin hypersensitivity. Avoid exposure in spice blends (Garam Masala), flavored teas, and dental products.		Ginger triggers rapid respiratory, skin hypersensitivity. Avoid exposure in Ginger-Garlic pastes, herbal teas (Adrak Chai).	
ALLERGY CHILI PEPPER (BY ELISA)	12.21	ALLERGY STRAWBERRY (BY ELISA)	12.21
Chili pepper triggers rapid respiratory and skin hypersensitivity. Avoid exposure in spice blends, infused oils.		Strawberry allergy causes itching or swelling. Avoid raw strawberries and related fruits.	
ALLERGY APPLE (BY ELISA)	12.21	ALLERGY KIWI (BY ELISA)	12.21
Apple allergy causes mouth itching or swelling. Avoid raw apples.		Kiwi proteins trigger food allergies. Avoid fresh fruit and related fruit extracts.	
ALLERGY MELON (BY ELISA)	12.21	ALLERGY MANGO (BY ELISA)	12.21
Melon proteins trigger food allergies. Avoid fresh melon and related fruit extracts.		Mango proteins trigger food or contact allergies. Avoid Aam, fresh fruit, mango pulp (Aamras), and hidden extracts in juices or chutneys.	
ALLERGY PEAR (BY ELISA)	12.21	ALLERGY PINEAPPLE (BY ELISA)	12.21
Pear allergy causes mouth itching or swelling. Avoid raw pears and related fruits.		Pineapple allergy causes mouth irritation or swelling. Avoid raw pineapple and juices.	
ALLERGY CHERRY (BY ELISA)	12.21	ALLERGY PLUM (BY ELISA)	12.21
Cherry triggers food allergies through skin contact or ingestion. Avoid fresh cherries, stone fruits, and hidden extracts in juices, syrups, or desserts.		Plum triggers food allergies through skin contact or ingestion. Avoid fresh plums, dried prunes, and hidden extracts in juices, jams, or desserts.	

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY MAIZE (BY ELISA) — 12.21

Maize triggers rapid respiratory, skin, and gastrointestinal hypersensitivity. Avoid exposure in corn syrups, and thickeners.

ALLERGY SESAME (BY ELISA) — 12.21

Sesame triggers rapid, often severe systemic hypersensitivity. Avoid multigrain breads, and natural cosmetics.

ALLERGY BANANA (BY ELISA) — 12.21

Banana proteins trigger food allergies. Avoid fresh banana and related fruit extracts.

ALLERGY MUSTARD (BY ELISA) — 12.21

Mustard proteins trigger severe food allergies. Avoid Sarson, Rai, mustard oil (Kachi Ghani), and hidden seeds in pickles (Achaar) or tadkas.

ALLERGY COCONUT (BY ELISA) — 12.21

Coconut proteins trigger food and skin allergies. Avoid fresh coconut and related plant extracts.

ALLERGY RICE (BY ELISA) — 12.21

Rice proteins trigger food allergies. Avoid fresh rice and related grain extracts.

ALLERGY HONEY (BY ELISA) — 12.21

Honey triggers rapid respiratory, and skin hypersensitivity. Avoid exposure in sweeteners, and granola.

ALLERGY BRINJAL (BY ELISA) — 12.21

Brinjal triggers rapid skin, oral, and respiratory hypersensitivity. Avoid exposure in mixed vegetable curries, pickles, and dyes in textiles.

ALLERGY CABBAGE (BY ELISA) — 12.21

Cabbage proteins trigger food allergies. Avoid raw or cooked cabbage, coleslaw, and related cruciferous vegetables.

ALLERGY CURRY (BY ELISA) — 12.21

Curry triggers gastrointestinal hypersensitivity. Avoid exposure in pre-mixed spice blends, and restaurant gravies.

ALLERGY CARDAMOM (BY ELISA) — 12.21

Cardamom triggers rapid respiratory, skin, and oral sensitivity. Avoid exposure in chai masalas, traditional sweets, and aromatic spice blends.

ALLERGY PEAS (BY ELISA) — 12.21

Peas trigger rapid respiratory, skin, and systemic sensitivity. Avoid exposure in veggie burgers, protein powders, and thickeners in snacks.

ALLERGY POTATO (BY ELISA) — 12.21

Potato proteins trigger food allergies. Avoid fresh potatoes and related starch extracts.

ALLERGY ORANGE (BY ELISA) — 12.21

Orange proteins trigger food allergies. Avoid fresh citrus fruits and related fruit extracts.

ALLERGY MUSHROOM (BY ELISA) — 12.21

Mushroom proteins trigger respiratory or food allergies. Avoid common varieties like Button Mushroom, Oyster, and mold-heavy environments.

ALLERGY WHEAT FLOUR (BY ELISA) — 12.21

Wheat flour triggers rapid respiratory and skin sensitivity. Avoid exposure in thickeners, soy sauces, and processed coatings.

ALLERGY BARLEY (BY ELISA) — 12.21

Barley proteins trigger food or respiratory allergies. Avoid Jau, malted beverages, and hidden barley malt in chocolates or breakfast cereals.

ALLERGY OATS (BY ELISA) — 12.21

Oat proteins trigger food allergies. Avoid whole oats and related cereal extracts.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY GRAPE (BY ELISA)	[redacted]	12.21	Grape proteins trigger food allergies. Avoid fresh grapes, raisins (Kishmish), wine, and hidden extracts in juices or jams.
ALLERGY GUAVA (BY ELISA)	[redacted]	12.21	Guava triggers rapid oral, skin, and respiratory hypersensitivity. Avoid exposure in mixed fruit juices, and flavoring in or herbal teas.
ALLERGY POMEGRANATE (BY ELISA)	[redacted]	12.21	Pomegranate triggers rapid oral, skin. Avoid exposure in mixed fruit juices, salad dressings, and antioxidants in health supplements.
ALLERGY WATERMELON (BY ELISA)	[redacted]	12.21	Watermelon triggers rapid oral, skin hypersensitivity. Avoid exposure in mixed fruit salads, flavored beverages, and skincare products.
ALLERGY GARLIC (BY ELISA)	[redacted]	12.21	Garlic proteins trigger food allergies. Avoid fresh garlic and related spice extracts.
ALLERGY SPINACH (BY ELISA)	[redacted]	12.21	Spinach proteins trigger food allergies. Avoid fresh spinach and related vegetable extracts.
ALLERGY EGG PLANT/AUBERGINE (BY ELISA)	[redacted]	12.21	Eggplant proteins trigger food allergies. Avoid Baingan, Brinjal, and hidden purees in Mediterranean or Indian dishes.
ALLERGY FIG (BY ELISA)	[redacted]	12.21	Fig triggers rapid oral and skin hypersensitivity. Avoid exposure in dried fruit mixes, traditional chutneys, and latex-based cosmetics or skincare.
ALLERGY YOGURT (BY ELISA)	[redacted]	12.21	Yogurt triggers rapid respiratory, skin, and systemic hypersensitivity. Avoid exposure in restaurant gravies, Lassi/Chaas.
ALLERGY RAISIN (BY ELISA)	[redacted]	12.21	Raisins can trigger rapid oral, skin, and systemic hypersensitivity. Avoid hidden exposure in Pulao/Biryani, Kheer/Ladoo, and energy bars.
ALLERGY SAFFRON (BY ELISA)	[redacted]	12.21	Saffron triggers rapid respiratory, skin, hypersensitivity. Avoid hidden exposure in Biryani, traditional desserts (Kesari).
ALLERGY COCOA (BY ELISA)	[redacted]	12.21	Cocoa triggers rapid skin, respiratory, and oral hypersensitivity. Avoid exposure in chocolate-based sweets, or mocha-flavored beverages.
ALLERGY CUMIN (BY ELISA)	[redacted]	12.21	Cumin triggers spice allergies through ingestion or inhalation. Avoid whole seeds, ground powder, and ingredients in curry blends.
ALLERGY MILLET (BY ELISA)	[redacted]	12.21	Millet triggers rapid respiratory, skin. Avoid exposure in gluten-free flours, traditional fasting foods, and multi-grain healthy snacks.
ALLERGY GLUTEN (BY ELISA)	[redacted]	12.21	Gluten proteins trigger food allergies or sensitivities. Avoid wheat, barley, rye, and related grain extracts.
ALLERGY JOWAR (BY ELISA)	[redacted]	12.21	Jowar triggers rapid respiratory, skin. Avoid exposure in traditional flatbreads (Bhakri/Jowar Roti), and gluten-free healthy snacks.
ALLERGY RAGI (BY ELISA)	[redacted]	12.21	Ragi triggers rapid oral, skin, and respiratory hypersensitivity. Multigrain flours, and traditional South Indian staples.
ALLERGY CASEIN (BY ELISA)	[redacted]	12.21	Casein proteins trigger severe food allergies. Avoid all mammalian milk, cheese, curd (Dahi), and hidden milk solids in processed snacks.

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation*

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY ALPHA LACTOGLOBULIN (BY ELISA) — 12.21
Alpha-lactalbumin triggers rapid skin, respiratory. Avoid whey-based protein powders, and processed bakery goods.

ALLERGY BETA LACTOGLOBULIN (BY ELISA) — 12.21
Triggers rapid skin, respiratory, and systemic hypersensitivity. Avoid whey protein powders, bakery goods, and processed meats.

ALLERGY CHOCOLATE (BY ELISA) — 12.21
Triggers rapid skin, respiratory, and oral hypersensitivity. Avoid cocoa-based sweets, beverages, and topical skincare containing cocoa butter.

ALLERGY FENNEL SEED (BY ELISA) — 12.21
Fennel triggers spice or pollen allergies through ingestion or inhalation. Avoid whole seeds, saunf, mouth fresheners, teas, or spice blends.

ALLERGY SEMOLINA(RAWA) (BY ELISA) — 12.21
Semolina triggers cereal grain allergies through ingestion. Avoid suji, pasta, couscous, and thickeners in soups, or sweets.

ALLERGY UDAD DAL (BY ELISA) — 12.21
Triggers rapid oral, skin, and respiratory hypersensitivity. Avoid fermented batters (Idli/Dosa), traditional snacks, and thickened gravies.

ALLERGY MASOOR DAL (BY ELISA) — 12.21
Triggers rapid oral, skin, and respiratory hypersensitivity. Avoid lentil soups, mixed dal preparations, and steam from boiling lentils.

ALLERGY TOOR DAL (BY ELISA) — 12.21
Triggers rapid oral, skin, and respiratory hypersensitivity. Avoid Sambar, Dal Tadka, and multigrain flour blends.

ALLERGY MOONG DAL (BY ELISA) — 12.21
Triggers rapid oral, skin, and respiratory hypersensitivity. Avoid sprouted salads, yellow dal soups, and halwa.

ALLERGY RAJMA DAL (BY ELISA) — 12.21
Triggers rapid oral, skin, and respiratory hypersensitivity. Avoid spiced gravies, chili, and cold bean salads.

ALLERGY CHICK PEA (BY ELISA) — 12.21
Chickpea proteins trigger food allergies. Avoid whole chickpeas, chickpea flour (Besan), and hidden legume extracts.

ALLERGY BAJRA (BY ELISA) — 12.21
Triggers rapid oral, skin, and respiratory hypersensitivity. Avoid traditional flatbreads (Bajra Roti), multigrain porridges, and gluten-free snacks.

ALLERGY DRUG ASPIRIN (BY ELISA) — 12
Aspirin triggers severe drug hypersensitivity or intolerance. Avoid all NSAIDs, and certain over-the-counter pain relievers.

ALLERGY DRUG DICLOFENAC (BY ELISA) — 12
Diclofenac triggers severe drug hypersensitivity or intolerance. Avoid all NSAIDs, and common over-the-counter pain relievers.

ALLERGY ASPERGILLUS NIGER (BY ELISA) — 12
Aspergillus niger spores trigger respiratory allergies. Avoid damp, moldy environments.

ALLERGY ASPERGILLUS FUMIGATUS (BY ELISA) — 11
Mold spores trigger allergic reactions. Avoid exposure to damp indoor environments, compost, and related fungal growth.

ALLERGY BEEF (BY ELISA) — 11
Beef proteins trigger food allergies. Avoid fresh beef meat and related bovine extracts.

ALLERGY SWEET POTATO (BY ELISA) — 11
Sweet potato triggers rapid oral, skin hypersensitivity. Avoid exposure in gluten-free flours, baby foods, and thickeners in processed snacks.

DUMMY REPORT

Tests Done : Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Doctor 1 Sign

Doctor 2 Sign

Scan QR to verify(valid for 30 days from release time)

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

Detailed Report

Sensitivity Scale (IU/ml)

0 | 0.35 | 0.7 | 3.5 | 17.5 | ≥100

ALLERGY

Item	Value (IU/ml)	Item	Value (IU/ml)
ALLERGY CLADOSPORIUM HERBARUM(BY ELISA)	12.21	ALLERGY JUNIPERUS COMMUNIS(BY ELISA)	12.21

Animal Dander & Epithelia

Item	Value (IU/ml)	Item	Value (IU/ml)
ALLERGY GOAT DANDER (BY ELISA)	101	ALLERGY DOG DANDER (BY ELISA)	12.21
ALLERGY CAT DANDER (BY ELISA)	12.21	ALLERGY COW DANDER (BY ELISA)	12.21
ALLERGY HORSE DANDER (BY ELISA)	12.21	ALLERGY SHEEP WOOL (TREATED) (BY ELISA)	12.21
ALLERGY BUFFALO DANDER (BY ELISA)	12.21		

Bird Allergens

Item	Value (IU/ml)	Item	Value (IU/ml)
ALLERGY FEATHER DUST(BY ELISA)	12.21	ALLERGY PIGEON DROPPING (BY ELISA)	12.21
ALLERGY CHICKEN FEATHERS (BY ELISA)	12.21	ALLERGY PIGEON FEATHERS (BY ELISA)	12.21
ALLERGY CHICKEN DROPPING (BY ELISA)	12.21		

Cereals & Grains

Item	Value (IU/ml)	Item	Value (IU/ml)
ALLERGY ZEA MAYS(BY ELISA)			12.21

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign

Doctor 2 Sign

Scan QR to verify(valid for 30 days from release time)

DUMMY REPORT

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

Cereals & Grains

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY TRITICUM AESTIVUM (CULTIVATED WHEAT)(BY ELISA)	12.21	ALLERGY HORDEUM VULGARE (BARLEY)(BY ELISA)	12.21
ALLERGY MAIZE (BY ELISA)	12.21	ALLERGY RICE (BY ELISA)	12.21
ALLERGY WHEAT FLOUR (BY ELISA)	12.21	ALLERGY BARLEY (BY ELISA)	12.21
ALLERGY OATS (BY ELISA)	12.21	ALLERGY MILLET (BY ELISA)	12.21
ALLERGY GLUTEN (BY ELISA)	12.21	ALLERGY JOWAR (BY ELISA)	12.21
ALLERGY RAGI (BY ELISA)	12.21	ALLERGY SEMOLINA(RAWA) (BY ELISA)	12.21
ALLERGY BAJRA (BY ELISA)	12.21		

Drug Allergens

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY DRUG AMOXYCILLIN (BY ELISA)	12.21	ALLERGY DRUG AMPICILLIN (BY ELISA)	12.21
ALLERGY DRUG BRUFEN (IBUPROFEN) (BY ELISA)	12.21	ALLERGY DRUG CIPROFLOXACIN (BY ELISA)	12.21
ALLERGY DRUG CLOXACILLIN (BY ELISA)	12.21	ALLERGY DRUG DOXYCYCLINE (BY ELISA)	12.21
ALLERGY DRUG ERYTHROMYCIN (BY ELISA)	12.21	ALLERGY DRUG NORFLOXACIN (BY ELISA)	12.21
ALLERGY DRUG OFLOXACIN (BY ELISA)	12.21	ALLERGY DRUG OXACILLIN (BY ELISA)	12.21
ALLERGY DRUG PARACETAMOL (BY ELISA)	12.21	ALLERGY DRUG BROMHEXINE (BY ELISA)	12.21
ALLERGY DRUG CEFIXIME (CEFACLOR) (BY ELISA)	12.21	ALLERGY DRUG METAMIZOL (BY ELISA)	12.21
ALLERGY DRUG PENICILLIN (BY ELISA)	12.21	ALLERGY DRUG SULPHA (BY ELISA)	12.21

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

Drug Allergens

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY DRUG TETRACYCLINE (BY ELISA)	12.21	ALLERGY DRUG TINIDAZOLE (BY ELISA)	12.21
ALLERGY DRUG INSULIN (BY ELISA)	12.21	ALLERGY DRUG XYLOCAINE (LIDOCAINE) (BY ELISA)	12.21
ALLERGY DRUG ASPIRIN (BY ELISA)	12	ALLERGY DRUG DICLOFENAC (BY ELISA)	12

Fruits

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY CARICA PAPAYA(BY ELISA)	12.21	ALLERGY COCUS NUCIFERA(BY ELISA)	12.21
ALLERGY LEMON (BY ELISA)	12.21	ALLERGY PAPAYA (BY ELISA)	12.21
ALLERGY BANANA (BY ELISA)	12.21	ALLERGY COCONUT (BY ELISA)	12.21
ALLERGY ORANGE (BY ELISA)	12.21	ALLERGY STRAWBERRY (BY ELISA)	12.21
ALLERGY APPLE (BY ELISA)	12.21	ALLERGY KIWI (BY ELISA)	12.21
ALLERGY MELON (BY ELISA)	12.21	ALLERGY MANGO (BY ELISA)	12.21
ALLERGY PEAR (BY ELISA)	12.21	ALLERGY PINEAPPLE (BY ELISA)	12.21
ALLERGY CHERRY (BY ELISA)	12.21	ALLERGY PLUM (BY ELISA)	12.21
ALLERGY GRAPE (BY ELISA)	12.21	ALLERGY GUAVA (BY ELISA)	12.21
ALLERGY POMEGRANATE (BY ELISA)	12.21	ALLERGY WATERMELON (BY ELISA)	12.21
ALLERGY FIG (BY ELISA)	12.21	ALLERGY RAISIN (BY ELISA)	12.21

DUMMY REPORT

Tests Done : Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA

Doctor 1 Sign

Doctor 2 Sign

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

Grass & Weed Pollens

Item	Value (IU/ml)		Item	Value (IU/ml)	
ALLERGY ARTEMISIA SCOPARIA(BY ELISA)	[redacted]	12.21	ALLERGY CHENOPODIUM ALBUM(BY ELISA)	[redacted]	12.21
ALLERGY DAISY(BY ELISA)	[redacted]	12.21	ALLERGY DANDELION(BY ELISA)	[redacted]	12.21
ALLERGY PARTHENIUM (COMMON RAGWEED) (BY ELISA)	[redacted]	12.21	ALLERGY SORVHUM VULGARE(BY ELISA)	[redacted]	12.21
ALLERGY TYPHA LATIFOLIA (COMMON CATTAIL)(BY ELISA)	[redacted]	12.21	ALLERGY BERMUDA GRASS (BY ELISA)	[redacted]	12.21
ALLERGY TIMOTHY GRASS (BY ELISA)	[redacted]	12.21	ALLERGY JOHNSON GRASS (BY ELISA)	[redacted]	12.21
ALLERGY MUGWORT (BY ELISA)	[redacted]	12.21	ALLERGY DACTYLIS GLOMERATA (COCKSFOOT)(BY ELISA)	[redacted]	12.21
ALLERGY LOLIUM PERENNE (RYE-GRASS)(BY ELISA)	[redacted]	12.21	ALLERGY POA PRATENSIS (MEADOW GRASS)(BY ELISA)	[redacted]	12.21
ALLERGY AGROPYRON REPENS (COUCH (QUACK) GRASS)(BY ELISA)	[redacted]	12.21	ALLERGY XANTHIUM COMMUNE (COCKLEBUR)(BY ELISA)	[redacted]	12.21
ALLERGY AMARANTHUS RETROFLEXUS (COMMON PIGWEED)	[redacted]	12.21			

Household Dust & Mites

Item	Value (IU/ml)		Item	Value (IU/ml)	
ALLERGY BAJARI DUST(BY ELISA)	[redacted]	12.21	ALLERGY COTTON DUST(BY ELISA)	[redacted]	12.21
ALLERGY PAPER DUST (BY ELISA)	[redacted]	12.21	ALLERGY FLOUR MILL DUST(BY ELISA)	[redacted]	12.21
ALLERGY JEERA DUST(BY ELISA)	[redacted]	12.21	ALLERGY JOWAR DUST(BY ELISA)	[redacted]	12.21
ALLERGY STORAGE MITE (BY ELISA)	[redacted]	12.21	ALLERGY JUTE DUST(BY ELISA)	[redacted]	12.21
ALLERGY HAY DUST (BY ELISA)	[redacted]	12.21	ALLERGY WOOD DUST (BY ELISA)	[redacted]	12.21
ALLERGY HOUSE DUST MITE (BY ELISA)	[redacted]	12.21	ALLERGY COCKROACH DUST (BY ELISA)	[redacted]	12.21

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

DUMMY REPORT

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

Household Dust & Mites

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY RICE DUST(BY ELISA)	12.21	ALLERGY STRAW DUST(BY ELISA)	12.21
ALLERGY HOUSE DUST (BY ELISA)	12.21	ALLERGY WHEAT DUST(BY ELISA)	12.21
ALLERGY COTTON LINTERS (BY ELISA)	12.21		

Industrial & Chemical Allergens

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY PERFUME (BY ELISA)	12.21	ALLERGY PAINTS (BY ELISA)	12.21
ALLERGY DETERGENT (BY ELISA)	12.21	ALLERGY LATEX(BY ELISA)	12.21
ALLERGY LAWSONIA ENERNIL (HENNA)(BY ELISA)	12.21	ALLERGY LEATHER(BY ELISA)	12.21
ALLERGY HAIR DYE (BY ELISA)	12.21	ALLERGY BRILLIANT GREEN (DYE) (BY ELISA)	12.21
ALLERGY PLASTIC(BY ELISA)	12.21	ALLERGY PHTHALIC ANHYDRIDE (POLYESTER)(BY ELISA)	12.21
ALLERGY ETHYLENE OXIDE(BY ELISA)	12.21	ALLERGY ACRYLIC(BY ELISA)	12.21
ALLERGY SILK(BY ELISA)	12.21	ALLERGY TOBBACO (BY ELISA)	12.21
ALLERGY COLLAGEN(BY ELISA)	12.21	ALLERGY FORMALDEHYDE(BY ELISA)	12.21

Insect & Venom Allergens

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY CRICKET(BY ELISA)	12.21	ALLERGY HONEY BEE(BY ELISA)	12.21
ALLERGY HOUSE FLY (BY ELISA)	12.21	ALLERGY MOSQUITO (BY ELISA)	12.21

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

DUMMY REPORT

Patient Name : XXXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY HETEROCERA MIX (MOTH) (BY ELISA)	[redacted]	12.21

Meat & Poultry

Item	Value (IU/ml)		Item	Value (IU/ml)	
ALLERGY CHICKEN (BY ELISA)	[redacted]	12.21	ALLERGY EGG (BY ELISA)	[redacted]	12.21
ALLERGY MUTTON (BY ELISA)	[redacted]	12.21	ALLERGY PORK (BY ELISA)	[redacted]	12.21
ALLERGY BEEF (BY ELISA)	[redacted]	11			

Milk & Dairy

Item	Value (IU/ml)		Item	Value (IU/ml)	
ALLERGY MILK (BY ELISA)	[redacted]	12.21	ALLERGY CURD (BY ELISA)	[redacted]	12.21
ALLERGY CHEESE (BY ELISA)	[redacted]	12.21	ALLERGY YOGURT (BY ELISA)	[redacted]	12.21
ALLERGY CASEIN (BY ELISA)	[redacted]	12.21	ALLERGY ALPHA LACTOGLOBULIN (BY ELISA)	[redacted]	12.21
ALLERGY BETA LACTOGLOBULIN (BY ELISA)	[redacted]	12.21			

Molds & Yeasts

Item	Value (IU/ml)		Item	Value (IU/ml)	
ALLERGY ALTERNARIA ALTERNATA(BY ELISA)	[redacted]	12.21	ALLERGY ASPERGILLUS TAMARIE(BY ELISA)	[redacted]	12.21
ALLERGY CANDIDA ALBICANS(BY ELISA)	[redacted]	12.21	ALLERGY NEUROSPORA SPP(BY ELISA)	[redacted]	12.21
ALLERGY PENICILLIUM NOTATUM(BY ELISA)	[redacted]	12.21	ALLERGY RHIZOPUS NIGRICANS(BY ELISA)	[redacted]	12.21
ALLERGY MUCOR MUCEDO(BY ELISA)	[redacted]	12.21	ALLERGY STEMPHYLIUM BOTRYOSUM(BY ELISA)	[redacted]	12.21
ALLERGY PENICILLIUM BREVI, COMPACTUM(BY ELISA)	[redacted]	12.21	ALLERGY YEAST (BY ELISA)	[redacted]	12.21

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

DUMMY REPORT

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

DUMMY REPORT

Molds & Yeasts

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY MUSHROOM (BY ELISA)	12.21	ALLERGY ASPERGILLUS NIGER (BY ELISA)	12
ALLERGY ASPERGILLUS FUMIGATUS (BY ELISA)	11		

Nuts & Seeds

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY WALNUT (BY ELISA)	12.21	ALLERGY HAZEL NUT(BY ELISA)	12.21
ALLERGY SUNFLOWER (BY ELISA)	12.21	ALLERGY COTTON SEED(BY ELISA)	12.21
ALLERGY ALMOND (BY ELISA)	12.21	ALLERGY SESAME (BY ELISA)	12.21
ALLERGY MUSTARD (BY ELISA)	12.21	ALLERGY PEANUT (BY ELISA)	12.21
ALLERGY CASHEW NUT (BY ELISA)	12.21	ALLERGY PISTACHIO NUT (BY ELISA)	12.21
ALLERGY PUMPKIN SEED (BY ELISA)	12.21		

Pulses & Legumes

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY DAL CHANA (BY ELISA)	12.21	ALLERGY PEAS (BY ELISA)	12.21
ALLERGY SOYA BEAN (BY ELISA)	12.21	ALLERGY LENTIL (BY ELISA)	12.21
ALLERGY UDAD DAL (BY ELISA)	12.21	ALLERGY MASOOR DAL (BY ELISA)	12.21
ALLERGY TOOR DAL (BY ELISA)	12.21	ALLERGY MOONG DAL (BY ELISA)	12.21
ALLERGY RAJMA DAL (BY ELISA)	12.21	ALLERGY CHICK PEA (BY ELISA)	12.21

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

DUMMY REPORT

Seafood Allergens

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY CRAB (BY ELISA)	12.21	ALLERGY FISH (BY ELISA)	12.21
ALLERGY PRAWN (BY ELISA)	12.21	ALLERGY SHRIMP (BY ELISA)	12.21

Spices & Flavorings

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY COFFEE(BY ELISA)	12.21	ALLERGY TEA(BY ELISA)	12.21
ALLERGY BLACK PEPPER(BY ELISA)	12.21	ALLERGY CORIANDER(BY ELISA)	12.21
ALLERGY TURMERIC (BY ELISA)	12.21	ALLERGY HONEY (BY ELISA)	12.21
ALLERGY CURRY (BY ELISA)	12.21	ALLERGY CARDAMOM (BY ELISA)	12.21
ALLERGY CLOVES (BY ELISA)	12.21	ALLERGY GINGER (BY ELISA)	12.21
ALLERGY SAFFRON (BY ELISA)	12.21	ALLERGY COCOA (BY ELISA)	12.21
ALLERGY CUMIN (BY ELISA)	12.21	ALLERGY CHOCOLATE (BY ELISA)	12.21
ALLERGY FENNEL SEED (BY ELISA)	12.21		

Tree Pollens

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY OLIVE(BY ELISA)	12.21	ALLERGY ACACIA ARABICA(BY ELISA)	12.21
ALLERGY EUCALYPTUS(BY ELISA)	12.21	ALLERGY JULIFLORA(BY ELISA)	12.21
ALLERGY PHOENIX DACTYLIFERA(BY ELISA)	12.21	ALLERGY PINE(BY ELISA)	12.21

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

ALLERGY JASMINUM SPP. (JASMINE) (BY ELISA)		12.21

Vegetables

Item	Value (IU/ml) (IU/ml)	Item	Value (IU/ml) (IU/ml)
ALLERGY ONION (BY ELISA)	21	ALLERGY CARROT(BY ELISA)	12.21
ALLERGY TOMATOES (BY ELISA)	12.21	ALLERGY CAPSICUM (BY ELISA)	12.21
ALLERGY CUCUMBER (BY ELISA)	12.21	ALLERGY CAULIFLOWER (BY ELISA)	12.21
ALLERGY BRINJAL (BY ELISA)	12.21	ALLERGY CABBAGE (BY ELISA)	12.21
ALLERGY POTATO (BY ELISA)	12.21	ALLERGY CHILI PEPPER (BY ELISA)	12.21
ALLERGY GARLIC (BY ELISA)	12.21	ALLERGY SPINACH (BY ELISA)	12.21
ALLERGY EGG PLANT/AUBERGINE (BY ELISA)	12.21	ALLERGY SWEET POTATO (BY ELISA)	11

DUMMY REPORT

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

Patient Name : XXXXXXXXXXXXXX
Referred By : XXXXXXXXXXXXXX
Address : : XXXXXXXXXXXXXX

Sample Collected on (SCT) : XXXXXXXXXXXX
Sample Received on (SRT) : XXXXXXXXXXXX
Report Released on (RRT) : XXXXXXXXXXXX
Sample Type | Barcode : XXXXXXXXXXXX

Technology: E.L.I.S.A

Methodology: Solid Phase Immunoenzymatic Capture System

Clinical Significance:
- Allergy test by ELISA is a test for the quantitative measurement of allergen specific IgE antibodies in human serum and plasma

- This assay gives an indication of the risk of clinical reactions to an allergen and assist in identifying the offending allergens for avoidance measures

- In food allergy, circulating IgE antibodies may remain undetectable despite a convincing clinical history, because the antibodies here may be directed towards the allergens that are revealed or altered during industrial processing, cooking or digestion, and therefore do not exist in the original food against which the patient is tested

- A negative result does not exclude allergy sensitization. Allergy panels include only common causative allergens and do not include all possible allergens. Normal IgE levels do not necessarily exclude the possibility of allergy because certain allergens can be Non IgE mediated.

- Very low levels of allergen specific IgE antibodies must be evaluated with caution when Total IgE (TIGE) values are >1000 IU/ml

- The result interpretation should be on an individual case basis, in conjunction with clinical history and other findings

Note : Inter-method variation may occur at low IgE levels. Results from different assay platforms are not directly comparable. It is recommended to use the same platform for follow-up monitoring.

RAST (Radioallergosorbent Test) classification of Allergy is a scale from 0-6 that quantifies the level of specific IgE antibodies to an allergen in the blood. The grading is as follows:
- The results are expressed as Positive or negative, 0.35 (IU/ml) as Analytical cut off
- A positive result indicates specific IgE antibodies to one or more of the allergens in the Immuno CAP allergen mix
- Negative result indicates absence of the IgE antibodies to the components of Allergen mix

Rast Rating	Allergen specific IgE Level (IU/ml)	Comment	Colour
0	<0.35	Absent or Undetectable Allergen specific IgE	
1	0.35 - 0.69	Low level of Allergen specific IgE	
2	0.70 - 3.49	Moderate level of Allergen specific IgE	
3	3.50 - 17.49	High level of Allergen specific IgE	
4	17.50 - 49.99	Very high level of Allergen specific IgE	
5	50.00 - 100.00	Ultra high level of Allergen specific IgE	
6	>100.00	Extremely high level of Allergen specific IgE	

Tests Done : **Allergy Comprehensive Package (By Elisa),ALLERGY COMPREHENSIVE PACKAGE BY ELISA**

Doctor 1 Sign **Doctor 2 Sign**

Scan QR to verify(valid for 30 days from release time)

DUMMY REPORT

Patient Name	: XXXXXXXXXXXXXX	**Sample Collected on (SCT)**	: XXXXXXXXXXXX
Referred By	: XXXXXXXXXXXXXX	**Sample Received on (SRT)**	: XXXXXXXXXXXX
Address	: XXXXXXXXXXXXXX	**Report Released on (RRT)**	: XXXXXXXXXXXX
		Sample Type | Barcode	: XXXXXXXXXXXX

TEST NAME	TECHNOLOGY	VALUE	UNITS
TOTAL IGE	C.L.I.A	< 50	IU/mL

Bio. Ref. Interval. :-

Age	Value
0 - 1 Year	1.40 - 52.3
1 - 4 Years	0.40 - 351.6
5 - 10 Years	0.50 - 393
11 - 15 Years	1.90 - 170
Adults	< 158

Clinical significance:
Quantitative measurement of serum IgE when integrated with other clinical indicator, can provide useful information for the differential clinical diagnosis of Atopic and Non-Atopic disease. Patients with Atopic disease, including allergic asthma, allergic rhinitis and Atopic dermatitis commonly have moderately elevated serum IgE levels. However, a serum IgE level that is within the range of normally expected values does not rule out a limited set of IgE allergy. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications:
Precision: Intra assay (%CV): 7.2 %, Inter assay (%CV): 5.4 %; Sensitivity: 1.5 IU/ml

Kit validation references
Kjellman N-IM, Johansson SGO, Roth A. Serum IgE levels in healthy children by a sandwich technique. (Prist). Clin Allergy 1976: 6:51-9.

Please correlate with clinical conditions.
Method:- TWO SITE SANDWICH IMMUNOASSAY

DUMMY REPORT

Tests Done : ALLERGY - COMPREHENSIVE PACKAGE (BY ELISA)

Report Remarks : LabCode:0309080638/IT011

Doctor 1 Sign

Doctor 2 Sign

Scan QR to verify(valid for 30 days from release time)

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient, as the reported results are dependent on individual assay method(s) used/ equipments used and quality of specimen received.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume:
  (a) any liability including any bodily injury, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report,
  (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link:- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recorded by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at customersupport@thyrocare.com or call us on 022-3090 0000.

Launching

Jaanch

For a closer look at your health with



Doctor-Curated Specialised Packages All Under One Roof

Heart | Fever | Cancer | Women's - Reproductive Health
Thyroid | Diabetes | STDs | Skin Care | Hair Fall

Thyrocare
Tests you can trust

*T&C Apply, *As on 5th December 2024
*As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited